AVAILABLE COPY

ide of CTL responses are shown as follows: + up to 2 LU (Lytic Units) or 10 SV (Secretory Units); ++ up to 200 LU or 100 SU; +++ up to 200 LU Immunogenicity of HIV-and HCV-derived minigenes in HLA transgenic animals.

0 Su; ++++more than 2009 LU or 1000 SU. Magnitude represents number of independent cultures yielding positive responses.

| | Tel. No.: 202-371 | -2600 | · | |
|---------------------|-------------------|--|------------------|----------|
| | For: Optimized N | Aulti-Epitope Constru | ucts and Uses Th | ereof |
| | | | | |
| | | / /≷// | | L |
| ASC (7) | | ///// / | | -1: |
| | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | L |
| 1 //₹// | | 4444 | , 16 | |
| 72.57 | ~ | 景 4.5 | ⊤ ′0′ | |
| F. E. | ++ 5/8 | 8/1/ | 1/6 0/6 | |
| | -, | \$\8\2 | + > | |
| 11/2/1 | | (A) | 9 | - |
| 77,27 | | | + 2/6 | |
| 386 386 | 0/19 | 43 E | | <u> </u> |
| 3 8 | 0 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| | | <u>//≒//</u> @ | | |
| | | 77777 | | |
| | | 15/12 24 | | K |
| 7///4 | ~ | | و. | |
| 271 271 | ++ 4/13 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | + 1/6 | 4 |
| 3 7 | . 4 | 1/1/1/ | + 4/6 | 3 |
| | | 常学级 | + * | |
| 4554 | · _ | 2// | | F |
| Nef 221 | ++ 9/1, | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| Z 7 | T 67 | 77.277 | | Ţ |
| | | \$ 3 5 E | ++ 5/6 | |
| 1/17/ | | 1999 | . 47 | K |
| 11111 | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| 11:21 | | <i>HHH</i> | | 1 |
| | | <i>\\7\\\</i> ≥ | | LNCAT |
| V/ - -// | • | 77777 | | - |
| | | 2 2 | | |
| 1/2/ | | | ~ ! | - |
| - 60 | +6 | S1/E A2 | 0/12 | |
| PS 498 | +++ 18/19 | SS 7 | 0 | F. |
| | - | | | |
| //6// | | 2 2 | | 4 |
| | | | | |
| KKKKA | | ≥ 54 54 | | F. |
| 11:11 | | | | |
| | | 2 Z | | 1 |
| //6// | | ر السام | ++ 6/12 | |
| | | NS4 CORE 1769 35 A2 A2 | +/> | |
| Vpr 62 | ++ 10/14 | A2 769 | 2 0/12 0/12 2/12 | 1 |
| 5 | ÷> | 8 5 4 | - /~ | |
| > | - | NS4 NS5 1851 2611 A2 A2 | - 12 | |
| | | 8 8 A | 6 | ķ |
| V/ */ / | | 42 85 42 A2 85 42 | - | |
| | | S ∞ 4 | · > | Ľ. |
| 1/5/ | | NS4 1590 A2 | + | |
| | | S ₹ A | ++ 5/12 | <u> </u> |
| Pol 774 | _ & | 132 A2 | ± 2 | |
| | 0 | S = < | +++ 2/12 | |
| Pol 448 | ++ 1/13 0/8 | NS4 CORE 1812 132 A2 A2 | †‡ 1/12 | 70 |
| Q 4 | +/ | A2 181 2A | +> | L |
| | ncy | | p کر احک | |

| | · or opiniazog ma | 7-27-7-7 |) |
|---|---------------------|---|----------------------------|
| | | | |
| | | //\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | |
| | | | |
| 37 | | | = |
| | | | A3 A3 A3 |
| 5/1 | | ///// | |
| ~1 | . ~ | 流污 | 2 |
| 386 (1%) 134 | ++ 5/8 | 18/1/ | • |
| - | ري | 12/3 | _ |
| 77 | | (A) | A |
| 5⁄/ | | 4//// | |
| 77 | • | A 52 | ~ |
| ၛၟ႞ | 0/19 | S 2 | Y |
| ا تج | 6 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | A3 A3 A24 B7 A3 |
| 77 | | 11711 | 2 |
| | | 11:11 | ш |
| | | (1111) | 4 |
| | | 11:211 | A2 |
| 44 | ~ | \longrightarrow | _ |
| \sqsubset \Box | ++ 4/13 | 3,8 | 2 |
| 7 | 4 | | 1 |
| | | (4)/2 | ~ |
| 2// | | (S. 2) | ď |
| 4 | · - | K~~~ | |
| 17 | ++ 9/11 | 1/20// | 33 |
| 221 531 271 | 0 | 77.277 | A1 A3 B7 |
| \overline{m} | | 45.52 | ~3 |
| $2/\lambda$ | | 12 88 ∞ | A |
| ~ | | 11111 | - |
| V_{i} | | 11:21 | A |
| 11 | | 4444 | |
| | | 11:211 | A |
| :// | • | 77777 | |
| 44 | | 22 | A 2 |
| 5/1 | | | • |
| \angle | _ | 2 | |
| ام | +++ 18/19 | VS1/E2 728 | A2 |
| 498 | + & | S | |
| \ddot{H} | · | | |
| | | 7 | 42 |
| | | | |
| // | | 1.5 | ~ |
| 77 | | 9 | × |
| :71 | | | |
| U | | 2 | R |
| | | ļ | |
| | | 줆쬬 | 7 |
| -4 | | ອ " | ~ |
| 4 | ++ 10/14 | ¥ 89 | 7 |
| ا ۽ | ÷> | S [2] | A |
| - | - | | ~. |
| 77 | | S 58 | X |
| | | <u> </u> | |
| | | \$ 52 | 2 |
| 448 1/4 1/4 | | NS4 CORE NS4 NS4 NS5 NS4 CORE 1812 132 1590 1851 2611 1769 35 | A2 A2 A2 A2 A2 A2 A2 A2 A2 |
| <i>{/</i> } | | 4 0 | 2 |
| // | | ₹ 50 E | ¥ |
| \mathcal{L} | ∞ | | |
| ž I | 1% | 解め | 42 |
| | ~ | 8 - | • |
| ૱ [| ±Ξ | 4 2 | 2 |
| 4 | ++ - 2/13 0/8 | ≅ ≅ | A |
| | 0) > | <u> </u> | ı |
| | agnitude equency | | |
| | e E | | |
| | ල් දු | | |
| | | | |

Sheet 1, of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

ngnitude equency

assigned Inventors: SETTE et al. Tel. No.: 202-371-2600

| 25 |
|---|
| |
| 22 |
| NS1/E CORE CORE NS5 NS4 |
| 16 |
| .NS4 1863/14 NS1/E 16 N 18.64 2 632 |
| NS4 1590 |
| CORE 7 1769 9 1851 1590 |
| 5 |
| NS3 ENV1 |
| CORE PADRE 2 |

9/0

Ø

Sheet 2 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

.44

Synthetic polypeptides encoding HIV-derived HTL epitopes

Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

2/90

HIV pol 303 SPGPG HIV pol 335 303 **GPGPG** HIV pol 711 HIV gag 171 HIV pol 335 HIV pol HIV gag 171 SPGPG HIV pol 711 unctional peptides* pacer optimized M. polyepitope olyepitope

ction peptides comprise either 10 amino acids from the N—terminal epitope and 5 amino acids from the erminal epitope.




FIG.2E

Sheet 4 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

| N-FI | A*0201 | A*0201 A*0201 A*1101 | A*1101 | A*1101 | A*0201 | A*1101 A*0201 A*1101 | | A*1101 | B*0701 A*1101 A*0201 A*1101 | A*1101 |
|-------|----------|----------------------|---------|---------|---------|-----------------------------|--------|----------------|--------------------------------------|-----------|
| ignal | Pol 448 | Pol 774 Pol 347 | Pol 347 | Pol 98 | Vpr 62 | Pol 930 | | Pol 893 Env 61 | Pol 498 Pol 929 | Pol 929 — |
| | 09 | 62 | 10 | 28 | 19 | 20 | 458 | 27 | 192 | œ |
| | A*1101 | A*1101 B*0701 | A*1101 | A*0201 | A*1101 | A*0201 A*1101 A*0201 | A*1101 | | A*0201 B*0701 | A*0201 |
| | -Pol 931 | Pol 931 Env 250 | 1 | Nef 221 | Nef 100 | Nef 221 Nef 100 Gag 271 | Env 46 | Gag 386 | Env 46 Gag 386 Env 259 Env 134 | Env 134 |
| | 3 | 100 | 28 | 36 | 6 | 167 | 3 | 29 | 423 | 102 |
| | | | | | FIG | FIG.3A | | | | |

-44


Sheet 5 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned Inventors: SETTE et al. Tel. No.: 202-371-2600

| A*1101 A*0201 A*0201 A*0201 A*0201 A*0201 A*0201 A*1101 A*1101 A*1101 A*1101 A*0201 pol 149 PADRE® core 18 pol 552 pol 551 pol 455 env 183 core 141 pol 665 env 335 A*1101 A*0201 A*0201 A*0201 A*0201 A*0201 A*1101 A*1101 Pol 149 PADRE® core 18 pol 629 pol 562 pol 551 pol 455 env 183 core 141 pol 665 14 2 A*353 8 5 76 10 4 11 A*1101 A*0201 A*0201 A*0201 A*0201 A*0201 A*1101 | pol 149 PADRE® core 18 C1 pol 562 pol 551 pol 455 env 183 core 141 pol 665 |
|--|--|
| A*0201 A*0201 A*1101 pol 551 pol 455 env 183 core 141 5 76 10 4 A*0201 A*0201 A*0201 A*0201 pol 562 pol 551 pol 455 env 183 8 5 76 10 A*0201 A*0201 A*0201 A*0201 | C1 pol 562 pol 551 |
| A*0201 A*0201 A*1101 pol 551 pol 455 env 183 core 141 5 76 10 4 A*0201 A*0201 A*0201 A*0201 pol 562 pol 551 pol 455 env 183 8 5 76 10 A*0201 A*0201 A*0201 A*0201 | pol 562 pol 551 |
| A*0201 A*1101 pol 455 env 183 core 141 76 10 4 A*0201 A*0201 pol 551 pol 455 env 183 5 76 10 A*0201 A*0201 | pol 551 |
| A*0201 A*0201 A*1101 pol 455 env 183 core 141 76 10 4 A*0201 A*0201 A*0201 pol 551 pol 455 env 183 5 76 10 A*0201 A*0201 A*0201 | |
| | |
| | env 183 |
| | - |
| A*1101 pol 665 11 A*1101 A*1101 A*1101 | core 141 |
| A*1101 A*0201 pol 665 env 335 11 5 A*1101 A*1101 A*0201 core 141 pol 665 env 335 4 11 5 A*1101 A*1101 A*0201 | 599 od |
| A*0201 env 335 5 A*0201 | env 335 |
| For: Optimized Multi-Epitope Constructs and Uses Thereof 5/90 | |

-specific multiepitope constructs


C₁ = either W, Y, L, K, R, C, N or G

.. 41}



Tel. No.: 202-371-2600 For: Optimized Multi-Epitope Constructs and Uses

-41



100 Mean CTL Response (∆LU) 10 0% 0% 78% 31% 63% 54% 83% 94% Nef 221 Gag 271 Gag 386 Pol 774 Pol 498 Pol 448 Vpr 62 Env 134 HLA-A2 Epitopes


Sheet 7 of 90

-41

Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be


assigned


Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof



Sheet 8 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

-41





Sheet 9 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof





FIG.7



Sheet 11 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

- 40}

11/90

| | 1 | | | | |
|--------|---|--------|--------|--|---|
| 201 | 386 | | | Z | |
| A*0201 | gag | | B*0702 | | |
| | GAAA | | B* | A gag | |
| A*0201 | 134 | | | NAM | |
| A*0 | env | | A*1101 | 929 | |
| | GAA | | * | M po | |
| B*0702 | ef :94 | | _ | 7 KW | |
| å | \$ | | A*1101 | inv 4. | |
| | ADRE | | | Pol 893 K gag 237 N env 47 KAAA pol 929 NAAA gag 545 N | |
| | ㅈ 모 | | B*0702 | g 23. | |
| B*0702 | 259 | | æ | <u>8</u> | |
| B*0 | env | | 702 | 893 | |
| 20 | 50 X | | B*0702 | Pol | |
| B*0702 | env 2 | | | <u> </u> | |
| | gnal pol 448 GAA pol 498 NAA env 250 K env 259 K PADRE KA nef 94 GAA env 134 GAAA gag 386 | | A*1101 | pol 722 GAAA pol 347 K env 61 K | |
| 201 | 498 | | | 7 X | |
| A*0201 | <u>8</u> | A*1101 | 1101 | 34 | |
| | 85 | | ¥ | <u>\</u> ₩ | |
| A*0201 | 448 | | | 2 GA | |
| A*020 | le le | | A*1101 | J 72 | |
| • | gue | | ¥ | <u>p</u> | J |

B*0702

A*1101

A*1101

A*0201

75

<u>ĕ</u>

86

盈

<u>₹</u>

971

<u>@</u>

₹

γ

Z

nef

Sheet 12 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

12/90

·act

| | | | | | | | | • |
|---|--------|---|---|--------|--|---|--------|--|
| | | | | | ₩ | | | |
| | | GA | | 5 | 47 | | , | |
| | A*1101 | env 134 GA pol 929 GA | | A*1101 | env | | | |
| | A*1 | pol | | | ㅈ | ļ | | |
| | | GA | | 702 | 250 | | | |
| | 5 | 134 | | B*0702 | env | | 201 | 271 |
| | A*0201 | env | | | NAAA | | A*0201 | gag |
| | | _ | | 201 | 62 | | 7 | <u>z</u> |
| | 01 | 47 | : | A*0201 | vpr | | B*0702 | ef 9 |
| | A*1101 | 3 | | | Z | | 8 | <u> </u> |
| | A |)d } | | 201 | 386 | | | ₹ |
| | 0.5 | 12 | | A*0201 | gag | | 5 | 48 |
| | B*0702 | rev | | | ¥ | | A*0201 | 00 4 |
| | | ¥ | | 1 | 21 | | | Z |
| | | env 259 KAA pol 971 KAA pol 98 K PADRE K rev 75 K pol 347 | | A*0201 | GAAA nef 221 NA gag 386 N vpr 62 NAAA env 250 K env 47 KAA | | A*1101 | gag 237 NAAA gag 545 NAAA env 61 N pol 448 NAAA nef 94 N gag 271 |
| | | K | | | ₹ | | * | <u> </u> |
| | 101 | 86 | | | | | | ≸ |
| | A*110 | pod | | A*0201 | 498 | | 2 | 45 |
| | | ₩, | | A*C | lod | | B*0702 | g 5 |
| | 11 | 111 | | | * | | ä | <u>8</u> |
| • | A*1101 | ol 97 | | 702 | 893 | | | ₩ |
| | A |)d V | | B*0702 | 10 | | ~ | - 2 |
| | | ₩ | | ш | Mp | | B*0702 | 1 23 |
| | B*0702 | 259 | | 01 | pol 722 NA pol 893 KA pol 498 | | * | |
| _ | B*C | env | | A*1101 | 7 10 | | | |
| 5 | | nal | | | | 3 | | |

Sheet 13 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Th

| | | | For: Optimi | zed Multi-Ep | itope Construc | cts and Uses T | hereof | | | | |
|----------|--------------|--------|---|--------------|--------------------------------|----------------|---|----------|-------------|------------|-------------------------------|
| | | | | . ! | 3/90 | | | ٠ - | " |] | |
| . At | | _ | | 7 | | 7 | * | | (A) | | |
| | | | Z | | φ Σ | | 3 | | | | () |
| | [\$] | 72 | 11 | 702 | 18 | 5 | 368 | | PADRE | | 6 |
| | KAAA | A*2402 | 8 | B*0702 | <u> </u> | A*0101 | <u></u> | | ᅩ | | (0 |
| | 17 | * | 듑 | | | | ¥ | 201 | 879 | | FIG.9C |
| A*0101 | Gag 317 | | GAAA Vpr 46 KAA Nef 100 GAAA Pol 295 NAAA Env 671 | _ | Pol 498 NAAA Pol 186 | 22 | Pol 163 GAAA Pol 684 KAAA Env 259 KA Pol 368 KAAA | A*0201 | Pol | | ш |
| | X | 15 | 95 | A*0201 | 49 | B*0702 | ≥ | | Víf 7 NAA | | رئ ا |
| 5 | 32 | A*0101 | 2 | A*(| 집 | å | ᇤ | 10 | 7 | B*0702 | Gag 545 |
| A*0201 | N Pol 132 | < | A | | | | ≸ | A*1101 | ₹ | B#C | ğ |
| ₹ | 8 | | | | 3 | | * | • | ㅗ | | ₹ |
| | <u></u> | | 9 | 201 | Env 651 GAA | A*0101 | 89 | 22 | 1881 | | ≹ |
| 201 | 22 | A*1101 | 9 | A*0201 | 2 | A*C | <u> </u> | A*2402 | Env 681 | = | 72 |
| A*0201 | Nef 221 | A* | Nef | | KA | | * | ¥ | | A*0201 | Pol 772 NAAA |
| | Z | | | 2 | 893 | | 20 | | GAAA | | 7 |
| 02 | 237 | 72 | 9 | B*0702 | <u>∞</u> | A*0201 | 16. | 7 | 94 | 10 | |
| B*0702 | Gag | A*2402 | 7 | * | 8 | A*0 | <u></u> | B*0702 | | A*0201 | ā |
| Ф. | | * | <u>×</u> | | ≸ | | Z | * | Nef | | <u>></u> |
| | O X | | ₹ | 7 | 75 | <u> </u> | | | ₹ | | ≸ |
| 702 | 250 | = | | B*0702 | NA Pol 244 KAAA Rev 75 KAA Pol | A*0201 | Pol 533 KAAA Gag 386 | 10 | 971 | 01 | 47 KAAA Vpr 59 |
| B*0 | | A*020 | Pol 448 | * | 8 | * | 용 | A*11 | Po | A*11(| Env , |
| | NAA Env | ** | 집 | | 🔰 | | ≸∣ | | | ¥ | |
| | Z | | Æ | ~ | 4 | | 3 | | K Vpr 14 KA | | N |
| 101 | 727 | - | 32 | A*2402 | 24 | 402 | 53. | A*2402 | 7 | 201 | 16. |
| A*1101 | Pol 722 | A*1101 | - | *X | Pol | A*2402 | ᅙ | A*2 | \ <u>\$</u> | A*0201 | _≥ |
| | - | * | N Gag 162 GA | 1 | ¥ | | 조 | | | | 조 |
| 2 | 347 | | Z | _ | | 101 | | 402 | 530 | 5 | 74 |
| A*1101 | 5 | 101 | 19 | A*0201 | 2 | A*1101 | ا م | A*2402 | Pol 530 | A*0201 | 7 |
| ¥ | Pol | A*1101 | E | * | Gag 271 | | <u>\$</u> |] | A | ¥ | A A |
| | 7 K | | N Env 61 | | | | ≹ | | ¥ | | ₹ |
| A*2402 | 29. | 10 | | 10 | 183 | 05 | 55 | 10 | 929 | 1 | 134 |
| A*2 | Pol 597 | A*0201 | Vpr 62 | A*0201 | Pol 183 N | A*2402 | Env 55 KAAA Pol 98 | A*1101 | 3, | A*0201 | > |
| <u>ව</u> | | • | 4 | | | 4 | <u>u</u> | * | <u> </u> | ¥ | Env 134 NAA Pol 774 K Env 163 |


Sheet 14 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060,0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof 14/90 .44 104 102 FIG.10 Network


Sheet 15 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses

| |
|---------|
| Thereof |

| | Thereof | | | 15/00 |
|--------------|-------------|-------------|-------|-------|
| Şequence | Length | Code | . 200 | 15/90 |
| VLAEAMSQV | 9 | A | | |
| ILKEPVHGV | 9 | В | | |
| TLNFPISPI | 9 | Č | | |
| SLLNATDIAV | 10 | D | | |
| QMAVF I HNFK | 10 | Ē | | |
| VTVYYGVPVWK | 11 | F | 202 | |
| FPVRPQVPL | 9 . | G | | |
| YPLASLRSLF | 10 | H | · · | |
| VIYQYMDDLY | 10 | Ï | | |
| IYQEPFKNL | 9 | j | | |
| IWGCSGKL I | 9 | K | | |
| MOOSONET | J | | J | |
| AA | C+1 ranking | N-1 ranking | | |
| K | 2.20 | 0.64 |) | |
| С | 2.00 | 1.00 | | |
| N | 2.00 | 0.00 | | |
| G | 1.80 | 1.33 | | |
| T | 1.50 | 0.00 | | |
| Α | 1.33 | 1.21 | | |
| F | 1.33 | 1.00 | , | |
| S | 1.33 | 0.00 | 204 | |
| W | 1.20 | 0.00 | 204 | |
| Q | 1.20 | 0.00 | | |
| R | 1.17 | 1.57 | | |
| М | 1.00 | 0.00 | | |
| Υ | 1.00 | 0.75 | | |
| Ī | 0.86 | 0.50 | | |
| L . | 0.75 | 2.20 | | |
| V | 0.00 | 1.19 | | |
| D | 0.00 | 0.00 | | |
| Н | 0.00 | 0.00 | | |
| E | 0.00 | 0.00 | | |
| Р | 0.00 | 0.00 | J | • |





Sheet 16 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

16/90

MaxInsertions={enter value here} 208

OutputToScreen=yes/no 210

OutputToFile=yes/no 212

. 44

MinimumAccepted={enter value here} 214

MaxDuplicateFunctionValues={enter value here} 216

MaxSearchTime (min.)={enter value here} 218

Exhaustive=yes/no 220

NumStochasticProbes={enter value here} 222

MaxHitsPerProbe={enter value here} 224

RandomProbeStart=yes/no 226

FIG.11B

Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al. Tel. No.: 202-371-2600 For: Optimized Multi-Epitope Constructs and Uses Thereof 17/90 Start 301 -41 Receive Input Data and Parameters 303 Generate List of All Epitope Pairs 305 For Each Epitope Pair, Determine Set of Insertions That Provides A Maximum Function Value -307 Generate List of Optimal Insertions For Each Epitope Pair 309 Exhaustive **Stochastic Exhaustive** or Stochastic? 321 311 **Evaluate** Initiate New Every Permutation Search Probe 313 t ≥ MaxSearchTime -317 315 **Continue Evaluating** N Permutation(s) In # Hits ≥ MaxHits? **Current Probe** 323 319 Output Best Set N #Probes ≥ of Optimum MaxNumProbes? **Permutations**

Sheet 17 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses


Thereof

Junctional Analyzer run on Saturday, February 26, 2000 09:06:23 pm. The following non-zero AA weights will be used.

| AA | N-1 ranking | C+1 ran | king |
|------------|-------------|---------|----------|
| A | 1.21 | 1.33 | <u> </u> |
| C F | 1.00 | 2.00 | |
| F | 1.00 | 1.33 | |
| G | 1.33 | 1.80 | |
| Ī | 0.50 | 0.86 | |
| K | 0.64 | 2.20 | |
| L | 2.20 | 0.75 | |
| M | 0.00 | 1.00 | 204 |
| N | 0.00 | 2.00 | |
| Q | 0.00 | 1.20 | |
| R . | 1.57 | 1.17 | |
| S | 0.00 | 1.33 | ŀ |
| Ţ | 0.00 | 1.50 | |
| ٧ | 1.19 | 0.00 | |
| W | 0.00 | 1.20 | |
| Υ | 0.75 | 1.00 | ノ |

The following 10 motif specifications will be used to search for junctionals.

Count Motif Specification



| Code | Peptide | Length | |
|------|--------------|--------|-----|
| Α | VLAEAMSQV | 9 - | ` |
| В | ILKEPVHGV | 9 | |
| С | TLNFPISPI | 9 | |
| D | SLLNATDIAV | 10 | |
| Ε | QMAVF I HNFK | 10 | |
| F | VTVYYGVPVWK | 11 | 202 |
| G | FPVRPQVPL | 9 | |
| Н | YPLASLRSLF | 10 | |
| I | VIYQYMDDLY | 10 | |
| J | IYQEPFKNL | 9 | |
| K | IWGCSGKL I | 9 | |

Sheet 19 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

19/90

OutputToScreen = No

OutputToFile = Yes

MinimumValueAccepted = 0

MaxDuplicateFunctionValues = 50

SearchTime = 5

NumStochosticProbes = 10

MaxHitsPerProbe = 25

RandomProbeStart = Yes

| Col. 1 Code 1 | Col. 2 | Col. 3 | Col. 4 | Col. 5 | Col. 6 Code 2 | Col. 7 | Col. 8 N | Col. 9 C+N | Col. 10 J | Col. 11 MaxFunc. |
|--------------------------------|---|---------------------------------------|-----------|--------------------------------|--------------------------------|--|--|--|----------------------------------|--|
| AAAAAAAABBBBBBBBBBBBCCCCCCCCCC | 000000000000000000000000000000000000000 | A A A A A A A A A A A A A A A A A A A | A A A A A | LLLLRRR GRGRRRGRRGGGRRLRRRRRRR | BCDEFGH-JKACDEFGH-JKABDEFGH-JK | 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 | 2.20 2.20 2.20 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 | 4.40 4.40 4.40 4.41 3.14 3.14 3.14 3.14 3.14 3.14 3.14 | 00002101000000110101001111110100 | 8.80 8.80 8.80 1.57 3.14 6.23 6.28 6.28 6.28 6.28 6.28 6.28 6.28 6.28 |

FIG.13B

.41

Sheet 20 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

20/90

| Code 1 II | l2 | 13 | 14 | Code 2 | С | N | C+N | J | MaxFunc |
|---|--|--|---|---|--|--|--|--|--|
| 1 CCCCCGCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC | A A AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | 13 · A AAAA A AAAAA AAAAA AAAAAAAAAAAAAA | 4 LILL RGLGRIJILRRRLRRLGGGGGGGGRRRRRLRLGRRRGGGGGGGGGG | CO ABCEFGH-JKABCDEGH-JKABCDEFH-JKABCDEFG-JK | 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 | N 2.20 2.20 2.20 2.20 2.20 2.20 2.20 2.2 | C+N 4.40 4.40 4.40 4.40 4.40 4.40 4.40 4.4 | J 000000010000000000001100011110121124021001000111 | MaxFund 8.80 8.80 8.80 8.80 8.80 8.80 8.80 8.8 |

Sheet 21 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

21/90

21/90

| 44 | , |
|----|---|
| | i |
| | |

| Code 1 | 11 | 12 | 13 | 14 | Code 2 | С | N | C+N | J | MaxFunc |
|--------|---|---------------------------------------|---------------------------------------|-------------------------------|--------------------------------|--|--|--|--------------------------------|---|
| | KKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKK | A A A A A A A A A A A A A A A A A A A | A A A A A A A A A A A A A A A A A A A | GGGGGGRGGGRRRRRRRRRRLLLLR RLR | ABCDEFGHJKABCDEFGH-KABCDEFGH-J | 2.20 2.20 2.20 2.20 2.20 2.20 2.20 2.20 | 1.33 1.33 1.33 1.33 1.33 1.57 1.57 1.57 1.57 1.57 1.57 1.57 1.57 | 2.93 2.93 2.93 2.93 2.93 2.93 2.93 2.93 | 010001101001001210100000010010 | 5255552352563663136369999334646 525552352563663136369999934646 |

Junctional Analyzer took 142.77 seconds.

FIG.13D

Sheet 22 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060,0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Ti

.41

Sheet 23 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof





FIG.14B-1



Sheet 24 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

Thereof

·AT




FIG. 14B-3

Sheet 25 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

-41

25/90

60mer polypeptide (- GPGPG spacers)
75mer polypeptide (+ GPGPG spacer)





FIG.15

Sheet 26 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

. 44



Sheet 27 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

27/90

| Pol 303 |
|-----------------------------------|
| ೧೯೧೯೧ |
| Pol 989 |
| ೧೯೧೯೧ |
| Pol 619 |
| ೧೯೧೯೧ |
| Pol 758 |
| ೧೯೧೯೧ |
| Pol 674 |
| ೧೯೧೯೧ |
| Pol 335 |
| രെയാ |
| Pol 915 |
| ೧೯೧೯೧ |
| Pol 874 |
| ೧೯೧೯೧ |
| Env 566 |
| ೧೯೧೯೧ |
| Gag 171 |
| ೧೯೧೯೧ |
| G Gog C 294/ P 298 C 298 |
| രമരമര |
| Env 729 |
| ೧೯೧೯೧ |
| Vpu 31 |
| ೧೯೧೯೧ |
| Pol 596 |
| ೧೯೧೯೧ |
| Pol 956 |
| ೧೯೧೯೧ |
| |

| DAND | 2 |
|---|--|
| | ാമധ |
| 집 | |
| ပေရ | ၀ င |
| Pe | 686 |
| വെ | ഉപഗ |
| Po | |
| ೨೩೦ | ೨೩೮ |
| Pol | |
| 200 | ാമംഗ |
| P. P. | |
| 000 | ാമധ |
| I . | 335 |
| 200 | ാമധ |
| Pa Ba | 915 |
| ೧೯೧ | ാമധ |
| P. P. | 874 |
| ೦೩೦ | ഉപഠ |
| Env | 566 |
| ೦೩೦ | ാമധ |
| | 171 |
| ೧೯ | აჟა |
| | 234/ 298 |
| | |
| ညြင | ၁၀ပ |
| EN G | |
| Ę | |
| Ę | 6 729 6 6 |
| Vpu G | 31 G 729 |
| Pol P Vpu P Env | 596 G 31 G 729 G 6 |
| Pol P Vpu P Env | 596 G 31 G 729 G 6 |
| Pol | 596 6 31 6 729 6 6 |
| Pol | 596 6 31 6 729 6 6 6 6 6 6 6 6 6 |

-41

38 ೧೯೧೯೧

<u>೧೯೧೯೧</u>

303 303 ರಾಗಾಗ

Sheet 28 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

28/90

·ar

EP-HIV-1090

MGMQVQIQSLFLLLLWVPGSRGKLVGKLNWAGAAILKEPVHGVNAACPKVSFEPIKIPIHYCAPAKAKFVAAW TLKAAAKAFPVRPQVPLGAAKLTPLCVTLGAAAVLAEAMSQVKVYLAWVPAHKGAAAAIFQSSMTKKTTLFCA SDAKNIPYNPQSQGVVKHPVHAGPIANVTVYYGVPVWKKAAAQMAVFIHNFKNAAAYPLASLRSLFNLTFGWC FKLNRILQQLLFINAKIQNFRVYYRKAAVTIKIGGQLKKVPLQLPPLKAMTNNPPIPV

ATGGGAATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCTGTGGGTGCCCGGATCCAGAGGAAAGCTGG
TGGGCAAACTCAACTGGGCCGGAGCTGCAATCCTGAAGGAGCCCGTCCACGGGGTGAATGCCGCTTGCCCTAA
AGTCAGCTTCGAACCAATTAAGATCCCCATTCATTACTGTGCACCTGCCAAAGCTAAGTTTGTGGCCGCTTGG
ACCCTCAAGGCCGCTGCAAAAGCCTTCCCAGTGAGGCCCCAGGTGCCTCTGGGCGCCCGCTAAACTCACACCAC
TGTGCGTCACTCTGGGAGCCGCTGCAGTGCTGGCAGAGGCCATGTCCCAAGTGAAGGTGTATCTGGCTTGGGT
GCCCGCCCACAAGGGGGCCGCTGCAGCCATCTTTCAGTCTAGCATGACCAAGAAAAACAACTCTGTTCTGTGCC
TCCGACGCTAAGAACATCCCTTATAATCCACAGTCTCAGGGCGTGGTCAAGCATCCCGTGCACGCCGGACCTA
TTGCTAACGTGACCGTGTACTATGGGGTCCCAGTGTGGAAGAAAAGCCGCTGCACAGATGGCCGTGTTTATTCA
CAATTTCAAAAACGCCGCTGCATACCCCCTCGCCAGCCTGAGATCCCTCTTCAACCTGACATTCCGCTGGTGC
TTTAAGCTGAACCGGATCCTGCAGCAACTGCTCTTTATCAATGCTAAAATCCAGAACTTCCGCGTCTACTATA
GGAAGGCTGCAGTGACTATCAAAATTGGCGGACAACTGAAGAAAGTGCCTCTCCCAGCTGCCCCCTCTCCAAGGC
AATGACCAACAATCCCCCTATCCCAGTCTGA

HIV-CPT

MGMQVQIQSLFLLLLWVPGSRGIPIHYCAPAKAAKIQNFRVYYRKAAVTIKIGGQLKKAKFVAAWTLKAAAKV PLQLPPLKAIFQSSMTKKLTPLCVTLGAQMAVFIHNFKGAKVYLAWVPAHKNAIPYNPQSQGVVKAILKEPVH GVGAAALTFGWCFKLNAVLAEAMSQVNRILQQLLFINAAACPKVSFEPIKVTVYYGVPVWKKAAHPVHAGPIA NAAAYPLASLRSLFNAAATTLFCASDAKNKLVGKLNWANAAAFPVRPQVPLNMTNNPPIPV

Sheet 29 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

29/90

HIV-FT

MQVQIQSLFLLLLWVPGSRGKLVGKLNWAMASDFNLPPVAIFQSSMTKVTIKIGGQLKRILQQLLFIMAVFIH NFKIPYNPQSQGVVTTLFCASDAKILKEPVHGVQMAVFIHNFKGAAVFIHNFKRCPKVSFEPIKIQNFRVYYR LTFGWCFKLQVPLRPMTYKMTNNPPIPVTVYYGVPVWKVLAEAMSQVIPIHYCAPAKLTPLCVTL

ATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGATCCAGAGGAAAGCTGGTGGGGA
AGCTGAACTGGGCCATGGCCAGCGATTTCAACCTGCCCCCCGTGGCCATCTTCCAGAGCAGCATGACCAAGGT
GACCATCAAGATCGGGGGGCAGCTGAAGAGGGATCCTGCAGCAGCTGCTGTTCATCATCGCCCGTGTTCATCCAC
AACTTCAAGATCCCCTACAACCCCCAGAGCCAGGGGGTGGTGACCACCCCTGTTCTGCGCCAGCGATGCCAAGA
TCCTGAAGGAGCCCGTGCACGGGGTGCAGATGGCCGTGTTCATCCACAACTTCAAGGGCGCCGCCGTGTTCAT
CCACAACTTCAAGAGGTGCCCCAAGGTGAGCTTCGAGCCCATCAAGATCCAGAACTTCAGGGTGTACTACAGG
CTGACCTTCGGGTTGCTTCAAGCTGCAGGTGCCCCTGAGGCCCATGACCTACAAGATGACCAACAACCCCC
CCATCCCCGTGACCGTGTACTACGGGGTGCCCCGTGTGGAAGGTGCTGGCCGAGGCCATGAGCCAGGTGATCCC
CATCCACTACTGCGCCCCCGCCAAGCTGACCCCCCTGTGCGTGACCCTG

FIG.18B

Sheet 30 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses

Thereof

30/90

HIV-TC

MGMQVQIQSLFLLLLWVPGSRGYWQATWIPEWKAIFQSSMTKKVYLAWVPAHKNAACPKVSFEPIKHPVHAGP IANLTFGWCFKLNKMIGGIGGFIKFRDYVDRFYKAAARILQQLLFINTTLFCASDAKNQMVHQAISPRGAKLV GKLNWAGAAAIYETYGDTWKAAQVPLRPMTYKGAAAVTVLDVGDAYNAAARYLKDQQLLNTLNFPISPINMTN NPPIPVNAPYNTPVFAIKAAAVPLQLPPLKAAIPYNPQSQGVVKALLQLTVWGIGAAILKEPVHGVNAAAFPI SPIETVKVWKEATTTLFKAAAVTIKIGGQLKKIYQEPFKNLKAAAVLAEAMSQVNLVGPTPVNIGAAAEVNIV TDSQYKAAAIPIHYCAPAKAVIYQYMDDLYKAAAQMAVFIHNFKNAATYQIYQEPFKPYNEWTLELKAKIQNF RVYYRKAFPVRPQVPLGAAAIWGCSGKLIKVMIVWQVDRNAAKAACWWAGIKAKFVAAWTLKAAAKLTPLCVT LNAAMASDFNLPPVKSLLNATDIAVNVTVYYGVPVWKKAAAAIIRILQQLKRAMASDFNLNAAAYPLASLRSL F

ATGGGGATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGATCTAGAGGATACTGGC AAGCTACTTGGATTCCAGAATGGAAAGCTATCTTTCAATCCTCAATGACGAAGAAGGTATACCTGGCATGGGT CCCAGCACACAAGAACGCCGCTTGCCCAAAGGTGTCCTTTGAACCCCATTAAACACCCAGTGCACGCAGGGCCA ATAGCGAATTTGACATTCGGGTGGTGCTTCAAACTAAACAAAATGATCGGCGGCATTGGAGGCTTTATCAAGT TTAGAGATTACGTGGACCGATTCTATAAAGCCGCTGCCCGTATACTCCAGCAGCTACTATTCATCAACACCAC TCTCTTCTGCGCTTCAGACGCTAAGAACCAAATGGTACACCAAGCCATAAGCCCTAGAGGAGCCAAGCTCGTA GGGAAATTAAATTGGGCGGGTGCAGCAGCAATCTACGAGACTTACGGCGATACCTGGAAAGCAGCCCAGGTTC CGTTACGCCCAATGACCTATAAAGGCGCAGCAGCAGTAACAGTTCTAGATGTAGGAGACGCTTACAACGCTGC CGCAAGATACCTAAAAGATCAGCAGTTACTCAACACACTAAATTTCCCAATTAGCCCGATAAACATGACAAAT AACCCACCAATTCCCGTCAATGCTCCCTACAACACTCCAGTATTCGCAATCAAAGCCGCTGCTGTCCCCCTGC AGCTCCCTCTGAAAGCTGCGATACCTTACAACCCACAGAGCCAAGGTGTTGTCAAAGCACTGCTTCAGCT AACAGTTTGGGGAATTGGTGCTGCAATTCTAAAAGAGCCAGTTCATGGGGTTAACGCCGCCGCCTTCCCAATC AGTCCTATTGAGACTGTGAAAGTATGGAAAGAAGCCACACCACACTTTTTAAGGCAGCCGCAGTTACAATTA AAATAGGGGGCCAACTTAAGAAAATATACCAGGAACCTTTCAAGAATCTCAAAGCCGCTGCAGTGCTCGCCGA GGCTATGTCACAGGTGAATTTGGTCGGACCAACACCCGTAAACATCGGAGCCGCAGCCGAAGTGAACATAGTC ACCGACTCACAGTACAAAGCCGCTGCAATACCCATACATTATTGTGCTCCCGCAAAGGCCGTGATCTATCAAT ATATGGACGACCTGTATAAGGCCGCCGCGCAGATGGCAGTCTTTATCCACAACTTTAAAAAACGCAGCTACTTA TCAGATCTACCAGGAACCATTCAAACCGTACAATGAGTGGACCTTGGAACTAAAGGCCAAAATTCAGAACTTC AGGGTATATTATAGAAAAGCATTTCCAGTGAGGCCCCAGGTGCCTCTGGGTGCCGCAGCAATATGGGGATGTT CTGGAAAACTGATCAAGGTGATGATTGTATGGCAAGTGGACAGAAATGCAGCTAAGGCAGCCTGTTGGTGGGC CTTAATGCAGCCATGGCCTCTGATTTCAACCTTCCCCCTGTAAAATCCCTGCTTAATGCGACAGATATCGCAG TCAACGTAACAGTATATTATGGCGTGCCAGTCTGGAAAAAAGCCGCCGCGGCCATAATTCGGATACTGCAGCA GCTGAAAAGAGCTATGGCGAGTGACTTCAACCTGAATGCGGCCGCCTACCCCTTGGCATCGTTAAGGTCACTA TTTTGA

Sheet 31 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

31/90

HCV.1

MGMQVQIQSLFLLLLWVPGSRGLLFNILGGWVDLMGYIPLVYLVAYQATVILAGYGAGVRLIVFPDLGVHMWNFISGI YLLPRRGPRLYLVTRHADVVLVGGVLAALLFLLLADAFLLLADARVWMNRLIAFACTCGSSDLYLSAFSLHSYGVAGA LVAFKLPGCSFSIFKTSERSQPRLIFCHSKKKFWAKHMWNFIPFYGKAIRMYVGGVEHRQLFTFSPRRRLGVRATRKV GIYLLPNRAKFVAAWTLKAAA*

HCV.2

MGMQVQIQSLFLLLLWVPGSRGDLMGYIPLVAKFVAAWTLKAAALLFLLLADALIFCHSKKKQLFTFSPRRYLVTRHA DVYLLPRRGPRLCTCGSSDLYHMWNFISGIFWAKHMWNFAKFVAAWTLKAAAILAGYGAGVYLVAYQATVGVAGALVA FKIPFYGKAIRMYVGGVEHRVLVGGVLAAFLLLADARVLPGCSFSIFAKFVAAWTLKAAAKTSERSQPRRLGVRATRK RLIVFPDLGVWMNRLIAFALSAFSLHSYLLFNILGGWVVGIYLLPNR*

HCV.3s1

MGMQVQIQSLFLLLLWVPGSRGYLVAYQATVAKFVAAWTLKAAALLFLLLADALIFCHSKKKYLVTRHADVLGFGAYM SKCTCGSSDLYHMWNFISGIFWAKHMWNF*

GAATTCGCCGCCACCATGGGAATGCAGGTGCAGATCCAAAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGATCCAGA
GGATACCTCGTCGCCTACCAGGCCACTGTGGCTAAATTCGTGGCAGCCTGGACACTGAAAGCTGCAGCTCTGCTCTTC
CTGCTCCTGGCCGATGCACCTCATCTTCTGCCATTCCAAGAAAAAGTATCTGGTCACCAGACATGCTGACGTGCTGGGG
TTTGGCGCCTACATGAGCAAGTGCACCTGTGGCAGCTCCGACCTGTATCACATGTGGAACTTTATTTCTGGAATCTTT
TGGGCCAAGCACATGTGGAATTTCTGAAAGCTT

Sheet 32 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

32/90

. 44

HCV.3s2

MGMQVQIQSLFLLLWVPGSRGVLVGGVLAAAKFVAAWTLKAAAFLLLADARVLSAFSLHSYILAGYGAGVWM NRLIAFAIPFYGKAIVAGALVAFKVGIYLLPNR*

HCV.3s2(-3)

MGMQVQIQSLFLLLLWVPGSRGVLVGGVLAAAKFVAAWTLKAAAFLLLADARVLSAFSLHSYILAGYGAGVWM NRLIAFA*

GAATTCGCCGCCACCATGGGAATGCAGGTGCAGATCCAAAGCCTGTTTCTGCTCCTCTGTGGGTGCCCGGAT CCAGAGGAGTCCTGGTGGGCGGCGTCCTGGCCGCTGCTAAGTTTGTCGCTGCTTGGACACTGAAGGCAGCCGC TTTCCTGCTCCTGGCAGACGCCAGGGTGCTGTCTGCCTTCAGCCTCCACTCCTACATCCTCGCAGGGTATGGC GCAGGCGTGTGGATGAATCGGCTGATCGCCTTTGCCTGAGGATCC

HCV.3s3

MGMQVQIQSLFLLLLWVPGSRGDLMGYIPLVAKFVAAWTLKAAARLGVRATRKLLFNILGGWVRMYVGGVEHR RLIVFPDLGVGVAGALVAFKLPGCSFSIFKTSERSOPRQLFTFSPRRYLLPRRGPRL

HCV.PC3

MGMQVQIQSLFLLLLWVPGSRGLLFNILGGWVKAKFVAAWTLKAAALADGGCSGGAYRLIVFPDLGVKFWAKH MWNFIGVAGALVAFKKOLFTFSPRR*

GAATTCGCCGCCACCATGGGAATGCAGGTGCAGATCCAAAGCCTGTTTCTGCTCCTCTTGTGGGTGCCCGGAT CCAGAGGACTGCTCTTCAACATCCTGGGCGGATGGGTGAAGGCCAAGTTCGTGGCTGCCTGGACCCTGAAGGC TGCCGCTCTGGCCGACGGGGGATGCAGCGGGGGGGGCTTACAGGCTCATTGTCTTTCCCGATCTCGGAGTCAAA TTTTGGGCAAAGCACATGTGGAATTTCATCGGGGTGGCCGGAGCCCTGGTCGCTTTTAAAAAGCAGCTCTTCA CCTTCTCCCCAAGACGGTGAGGTACC Sheet 33 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses

Thereof

33/90

.41

HCV.PC4

MGMQVQIQSLFLLLWVPGSRGRLGVRATRKKAKFVAAWTLKAAAKTSERSQPRNLPGCSFSIFNDLMGYIPL VKYLLPRRGPRLNTLCGFADLMGYRMYVGGVEHR*

HCV.2431(1P)

MGMQVQIQSLFLLLLWVPGSRGVLVGGVLAAAFLLLADARVLSAFSLHSYILAGYGAGVWMNRLIAFAGAAAR LGVRATRKKAAAKTSERSQPRNLPGCSFSIFNDLMGYIPLVKYLLPRRGPRLNTLCGFADLMGYRMYVGGVEH RKLLFNILGGWVKAAALADGGCSGGAYRLIVFPDLGVKFWAKHMWNFIGVAGALVAFKKQLFTFSPRRNGYLV AYQATVAAALLFLLLADALIFCHSKKKYLVTRHADVLGFGAYMSKCTCGSSDLYHMWNFISGIFWAKHMWNFK AAAAKFVAAWTLKAAA

Sheet 34 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

34/90

HCV.4312(1P)

MGMQVQIQSLFLLLLWVPGSRGRLGVRATRKKAAAKTSERSQPRNLPGCSFSIFNDLMGYIPLVKYLLPRRGPRLNTLC GFADLMGYRMYVGGVEHRKLLFNILGGWVKAAALADGGCSGGAYRLIVFPDLGVKFWAKHMWNFIGVAGALVAFKKQLF TFSPRRNGYLVAYQATVAAALLFLLLADALIFCHSKKKYLVTRHADVLGFGAYMSKCTCGSSDLYHMWNFISGIFWAKH MWNFKKAAAVLVGGVLAAAFLLLADARVLSAFSLHSYILAGYGAGVWMNRLIAFANAAAKFVAAWTLKAAA*

AOSI.K

MGMQVQIQSLFLLLLWVPGSRGHTLWKAGILYKAKFVAAWTLKAAAFLPSDFFPSVKFLLSLGIHLYMDDVVLGVGLSR YVARLFLLTRILTISTLPETTVVRRQAFTFSPTYKWLSLLVPFV

HBV.1

MGMQVQIQSLFLLLLWVPGSRGHTLWKAGILYKAKFVAAWTLKAAAFLPSDFFPSVFLLSLGIHLYMDDVVLGVGLSRY VARLFLLTRILTISTLPETTVVRRQAFTFSPTYKWLSLLVPFVIPIPSSWAFTPARVTGGVFKVGNFTGLYLPSDFFPS VTLWKAGILYKNVSIPWTHKLVVDFSQFSRSAICSVVRRALMPLYACI

Sheet 35 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

35/90

HBV.2

MGMQVQIQSLFLLLLWVPGSRGHTLWKAGILYKAKFVAAWTLKAAAFLPSDFFPSVNFLLSLGIHLYMDDVVLGVGLSR YVARLFLLTRILTISTLPETTVVRRQAFTFSPTYKGAAAWLSLLVPFVNIPIPSSWAFKTPARVTGGVFKVGNFTGLYN LPSDFFPSVKTLWKAGILYKNVSIPWTHKGAALVVDFSQFSRNSAICSVVRRALMPLYACI

ATGGGAATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCTGTGGGTGCCCGGGTCCAGAGGACACACCCTGTGGA
AGGCCGGAATCCTGTATAAGGCCAAGTTCGTGGCTGCCTGGACCCTGAAGGCTGCCGCTTTCCTGCCTAGCGATTTCTT
TCCTAGCGTGAACTTCCTGCTGTCCCTGGGAATCCACCTGTATATGGATGACGTGGTGCTGGGAGTGGGACTGTCCAGG
TACGTGGCTAGGCTGTTCCTGCTGACCAGAATCCTGACCATCTCCACCCTGCCAGAGACCACCGTGGTGAGGAGGCAGG
CCTTCACCTTTAGCCCTACCTATAAGGGAGCCGCTGCCTGGCTGAGCCTGCTGGTGCCCTTTGTGAATATCCCTATCCC
TAGCTCCTGGGCTTTCAAGACCCCAGCCAGGGTGACCGGAGGAGGAGTGTTTAAGGTGGGAAACTTCACCGGCCTGTATAAC
CTGCCCAGCGATTTCTTTCCTAGCGTGAAGACCCTGTGGAAGGCCGGAATCCTGTACAAGAATGTGTCCATCCCTTGGA
CCCACAAGGGAGCCGCTCTGGTGGTGGACTTTTCCCAGTTCAGCAGAAATTCCGCTATCTGCTCCGTGGTGAGGAGAGC
TCTGATGCCACTGTATGCCTGTATCTGA

PfCTL.1

MQVQIQSLFLLLLWVPGSRGILSVSSFLFVNAAAQTNFKSLLRNLPSENERGYKAAALLACAGLAYKKAAAAKFVAAWT LKAAAKAFMKAVCVEVNAAASFLFVEALFNATPYAGEPAPFKAAAKYKLATSVLKAGVSENIFLKNAAAYFILVNLLIK AGLLGVVSTV

PfCTL.2

MQVQIQSLFLLLLWVPGSRGFVEALFQEYNAAAKYLVIVFLINALACAGLAYKKFYFILVNLLKAALFFIIFNKNAAAK FVAAWTLKAAAKFILVNLLIFHNFQDEENIGIYKLPYGRTNLKAAAVLLGGVGLVLNFLIFFDLFLVKAVLAGLLGVV

Sheet 36 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses
Thereof 36/91

.44

PfCTL.3

MQVQIQSLFLLLLWVPGSRGVFLIFFDLFLNAAAPSDGKCNLYKAAAVTCGNGIQVRKLFHIFDGDNEIKAHVLSHNSY EKNYYGKQENWYSLKKILSVFFLANAAAKFIKSLFHIFKAAALYISFYFIKAKFVAAWTLKAAAKAAAYYIPHQSSLKA AAGLIMVLSFL

PfCTL/HTL(N)

MQVQIQSLFLLLLWVPGSRGSSVFNVVNSSIGLIMVLSFLGPGPGLYISFYFILVNLLIFHINGKIIKNSEGPGPGPDS IQDSLKESRKLSGPGPGVLAGLLGVVSTVLLGGVGLVLGPGPGLPSENERGYYIPHQSSLGPGPGQTNFKSLLRNLGVS ENIFLKGPGPGFQDEENIGIYGPGPGKYLVIVFLIFFDLFLVGPGPGKFIKSLFHIFDGDNEIGPGPGKSKYKLATSVL AGLLGPGPGLPYGKTNLGPGPGRHNWVNHAVPLAMKLIGPGPGMRKLAILSVSSFLFVEALFQEYGPGPGVTCGNGIQV RGPGPGMNYYGKQENWYSLKKGPGPGPSDGKCNLYADSAWENVKNVIGPFMKAVCVEVGPGPGKILSVFFLALFFIIFN KGPGPGHVLSHNSYEKGPGPGKYKIAGGIAGGLALLACAGLAYKFVVPGAATPYAGEPAPF

ATGGGAATGCAGGTGCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGATCCAGAGGAAGTAGTGTTCACATGTTGTGAACTCATCAATTGGTCTGATCATGGTGCTGAGCTTTCTCG

GGCCAGGGCCAGGATTATATTTCTTTCTACTTCATCCTTGTCAACCTGTTAATATTCCACATTAACGGCAAAATAAT AAAGAACAGTGAAGGCCCTGGGCCTGGGCCTGACTCGATCCAGGATTCTCTAAAAGAATCGAGGAAGCTCTCCGGACCA GGCCCTGGTGTACTCGCCGGGTTGCTGGGAGTAGTTAGCACAGTGCTGTTAGGAGGCGTCGGCCTCGTCTTAGGACCTG GACCAGGTCTGCCGTCCGAAAACGAAAGAGGATACTACATACCTCACCAGAGCAGCCTCGGCCCAGGCCCCGGACAAAC CAATTTCAAATCCCTCTTGCGAAATCTAGGAGTGAGCGAGAACATATTTCTTAAAGGACCCGGTCCCGGCTTTCAGGAC TGGTGGGCCCAGGTCCCGGAAAGTTCATTAAATCACTCTTCCACATTTTTGACGGAGATAACGAGATAGGACCCGGTCC ACAAATCTTGGCCCCGGTCCAGGACGGCACAACTGGGTGAATCATGCGGTTCCATTGGCCATGAAACTAATCGGGCCCG GTCCAGGCATGCGCAAACTTGCAATTCTAAGCGTAAGTTCATTTCTGTTCGTAGAGGCACTGTTTCAAGAATATGGCCC AGGACCTGGCGTCACATGTGGGAATGGGATCCAGGTGAGAGGACCGGGACCTGGTATGAACTATTACGGTAAACAGGAA AATTGGTACTCCCTGAAAAAGGGTCCAGGCCCCGGCCCCTCAGATGGTAAGTGCAACCTGTATGCTGACTCAGCATGGG AGAACGTAAAAAATGTAATAGGCCCATTCATGAAGGCAGTTTGTGTCGAAGTCGGACCAGGCCCAGGAAAAATACTTTC TGTCTTCTTCCTAGCTCTTCTTCATCATCTTCAACAAGGGACCAGGGCCAGGTCACGTGTTATCCCATAACTCTTAT GAAAAAGGGCCAGGACCTGGGAAATACAAAATCGCAGGAGGGATCGCCGGCGGGCTAGCGCTCCTTGCCTGCGCAGGCT TGGCTTACAAATTCGTTGTACCAGGAGCTGCAACACCCTATGCAGGAGAACCTGCCCCATTTTGAAGATCTGC

Sheet 37 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

37/90

Pf33

MGMQVQIQSLFLLLLWVPGSRGFMKAVCVEVNVTCGNGIQVRKGLIMVLSFLNAALFHIFDGDNEIKAALLACAGLAYK KSFLFVEALFNAAPSDGKCNLYKAAQTNFKSLLRNLPSENERGYKAAGVSENIFLKNAAAYFILVNLLIKAAAILSVSS FLFVNTPYAGEPAPFKAAAKYKLATSVLKAAVFLIFFDLFLNYYIPHQSSLKAAGLLGNVSTVGAVLLGGVGLVLNLAC AGLAYKKAKFIKSLFHIFKAAFYFILVNLLKAFLIFFDLFLVKALFFIIFNKNYYGKQENWYSLKFVEALFQEYNAAAK FVAAWTLKAAAKILSVFFLANAVLAGLLGNVNFQDEENIGIYKAAALYISFYFIKAFILVNLLIFHNAALPYGRTNLKA AHVLSHNSYEKNAAAKYLVIVFLI

GCCGCCACCATGGGAATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGATCCAGAGGATTTA TGAAAGCTGTCTGTGTAGAGGTGAATGTAACATGCGGTAACGGAATTCAGGTGAGAAAAGGGACTCATCATGGTACTCAG CTTTCTGAACGCAGCCCTGTTCCACATCTTTGACGGAGACAATGAAATCAAAGCCGCATTGCTCGCCTGTGCCGGACTA GCCTATAAAAAGAGTTTCCTTTTCGTTGAAGCACTATTTAACGCAGCACCCAGTGACGGTAAATGCAACCTATATAAAG CAGCTCAGACTAATTTCAAAAGCCTGTTAAGAAATCTGCCCTCAGAGAATGAAAGGGGGTTACAAAGCCGCCGGCGTGTC CGAGAATATTTTCCTGAAGAACGCCGCTGCTTATTTTATACTCGTGAATCTACTCATAAAGGCAGCCGCAATCCTTTCA GTGTCCAGCTTTCTGTTTGTTAACACACCATATGCGGGCGAGCCGGCTCCTTTCAAGGCTGCAGCAAAATACAAGCTTG CCACATCAGTATTGAAAGCAGCTGTGTTTTTGATATTCTTTGATCTTTTTTTAAACTACTACATACCTCATCAGTCTAG TCTTAAAGCAGCCGGGCTACTGGGGAACGTCTCTACTGTGGGGGCCGTCTTACTTGGAGGAGTTGGCCTCGTGTTGAAC CTCGCGTGCGCAGGTCTGGCCTACAAAAAAGCGAAATTCATCAAGTCTCTGTTCCACATTTTTAAAGCCGCATTCTATT TCATACTAGTGAACCTTCTCAAAGCTTTCCTGATCTTCTTCGATCTATTCCTCGTAAAAGCGCTATTCTTCATTATCTT TAGCAGGACTTCTAGGCAACGTGAACTTTCAAGACGAAGAGAATATAGGCATCTACAAAGCCGCAGCACTGTACATTTC ATTCTACTTCATCAAGGCCTTCATACTGGTCAACCTTCTGATATTTCATAATGCAGCACTGCCATATGGGAGAACCAAC TTGAAAGCGGCCCACGTGTTGAGCCACACTCCTACGAGAAGAACGCCGCCGCGAAATATCTCGTCATTGTCTTCCTGA TTTGA

TB. 1 MQVQIQSLFLLLLWVPGSRGRMSRVTTFTVKALVLLMLPVVNLMIGTAAAVVKALVLLMLPVGAGLMTAVYLVGAAAMA LLRLPVKRMFAANLGVNSLYFGGICVGRLPLVLPAVNAAAAKFVAAWTLKAAAKAAARLMIGTAAAGFVVALIPLVNAM TYAAPLFVGAAAAMALLRLPLV

Sheet 38 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

38/90

BCL A2 #90

.41

MQVQIQSLFLLLLWVPGSRGIMIGHLVGVNRLLQETELVNAKVAEIVHFLNAKVFGSLAFVNAYLSGANLNVG AAYLQLVFGIEVNAAAKFVAAWTLKAAAKAAAVVLGVVFGINSMPPPGTRVNAAAATVGIMIGVNAKLCPVQL WV

ATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGGTCCAGAGGAATTATGATCGGCC
ATCTGGTGGGCGTCAACAGACTGCTGCAGGAAACCGAGCTGGTGAATGCCAAGGTGGCCGAAATTGTGCACTT
TCTCAACGCAAAGGTGTTTGGTTCCCTGGCTTTTGTCAATGCCTATCTGAGCGGCGCCTAACCTCAACGTCGGA
GCCGCCTACCTCCAGCTGGTCTTCGGCATCGAGGTCAACGCTGCTGCAAAATTCGTGGCAGCTTGGACCCTCA
AGGCTGCAGCAAAGGCTGCCGCCGTCGTGCTCGGAGTGTTCGGGATCAACTCTATGCCACCTCCCGGGAC
TAGGGTCAATGCTGCCGCCGCAACAGTGGGAATCATGATTGGGGTGAATGCCAAACTGTGCCCAGTGCAACTG
TGGGTGTGA

BCL A2 #88

MQVQIQSLFLLLLWVPGSRGVVLGVVFGINAAAAKFVAAWTLKAAAKVAEIVHFLNAYLSGANLNVGAAYLQL VFGIEVNIMIGHLVGVNRLLQETELVNAKVFGSLAFVNAKLCPVQLWVNAAAATVGIMIGVNSMPPPGTRV

ATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGGTCCAGAGGAGTCGTGCTGGGAG
TCGTCTTCGGCATTAATGCCGCCGCTGCAAAGTTCGTGGCTGCCTGGACCCTGAAGGCCGCAGCTAAAGTGGC
AGAGATCGTGCACTTTCTGAACGCCTACCTGAGCGGAGCAAATCTGAACGTCGGCGCTGCCTATCTGCAGCTC
GTGTTTGGAATTGAAGTGAACATCATGATTGGACATCTGGTGGGCGTGAACAGGCTGCTCCAGGAAACTGAGC
TGGTCAACGCTAAAGTGTTCGGGTCTCTCGCCTTTGTGAACGCTAAGCTCTGCCCCGTCCAACTCTGGGTCAA
TGCCGCAGCCGCTACAGTGGGGATCATGATCGGCGTGAACTCCATGCCTCCACCAGGGACCAGAGTGTGA

BCL A2 #63

MQVQIQSLFLLLLWVPGSRGKLCPVQLWVNAAAATVGIMIGVNIMIGHLVGVNRLLQETELVNAKVAEIVHFL NAKVFGSLAFVNAYLSGANLNVGAAYLQLVFGIEVNAAAKFVAAWTLKAAAKAAAVVLGVVFGINSMPPPGTR V

ATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGGTCCAGAGGAAAGCTCTGCCCCG
TGCAACTGTGGGTCAACGCCGCCGCCGCAACCGTCGGCATTATGATCGGGGTGAACATCATGATCGGACACCT
GGTCGGCGTGAACAGGCTGCTGCAGGAGACAGAACTGGTCAATGCCAAGGTGGCTGAAATTGTCCATTTCCTG
AATGCCAAAGTGTTCGGCTCTCTCGCTTTCGTGAACGCTTATCTGAGCGGAGCTAACCTCAACGTGGGGGCCG
CATACCTCCAGCTCGTCTTTGGGATTGAGGTGAATGCCGCAGCTAAATTTGTCGCTGCCTGGACCCTGAAGGC
AGCAGCCAAGGCTGCCGCAGTGGTGCTGGGAGTGGTGTTTTGGAATCAATTCCATGCCTCCACCAGGCACTAGA
GTGTGAGGATCC

Sheet 39 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses

Thereof

39/90

. 44

Prostate 1

LTFFWLDRSVKAAAVLVHPQWVLTVKAAALLQERGVAYIKAALLLSIALSVNPLVCNGVLQGVKAAIMYSAHD TTVKAAAFLTPKKLQCVNAMMNDQLMFLNAGLPSIPVHPVKAAALGTTCYVGAAILLWQPIPVNFLRPRSLQC VKAFLTLSVTWIGVNALLYSLVHNLGAATLMSAMTNL

HIV-1043

MEKVYLAWVPAHKGIGGGPGPGQKQITKIQNFRVYYRGPGPGWEFVNTPPLVKLWYQGPGPGYRKILRQRKID RLIDGPGPGQHLLQLTVWGIKQLQGPGPGGEIYKRWIILGLNKIVRMYGPGPGQGQMVHQAISPRTLNGPGPG IKQFINMWQEVGKAMYGPGPGWAGIKQEFGIPYNPQGPGPGKTAVQMAVFIHNFKRGPGPGSPAIFQSSMTKI LEPGPGPGEVNIVTDSQYALGIIGPGPGHSNWRAMASDFNLPPGPGPGAETFYVDGAANRETKGPGPGGAVVI QDNSDIKVVPGPGPGFRKYTAFTIPSINNE

Sheet 40 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

40/90

HIV-1043 PADRE

.41

MEKVYLAWVPAHKGIGGGPGPGQKQITKIQNFRVYYRGPGPGWEFVNTPPLVKLWYQGPGPGYRKILRQRKID RLIDGPGPGQHLLQLTVWGIKQLQGPGPGGEIYKRWIILGLNKIVRMYGPGPGQGQMVHQAISPRTLNGPGPG IKQFINMWQEVGKAMYGPGPGWAGIKQEFGIPYNPQGPGPGKTAVQMAVFIHNFKRGPGPGSPAIFQSSMTKI LEPGPGPGEVNIVTDSQYALGIIGPGPGHSNWRAMASDFNLPPGPGPGAETFYVDGAANRETKGPGPGGAVVI QDNSDIKVVPGPGPGFRKYTAFTIPSINNEGPGPGAKFVAAWTLKAAA

HIV 75mer

EKVYLAWVPAHKGIGGPGPGQGQMVHQAISPRTLNGPGPGSPAIFQSSMTKILEPGPGPGFRKYTAFTIPSIN NE

GAGAAGGTGTACCTGGCCTGGGTGCCCACAAGGGAATCGGAGGACCTGGCCCTGGACAGGGACAGATGG TGCACCAGGCCATCAGCCCTAGGACCCTGAACGGACCTGGACCTGGAAGCCCTGCCATCTTCCAGAGCAGCAT GACCAAGATCCTGGAGCCCGGACCTGGACCTGGATTCAGGAAGTACACCGCCTTCACCATCCCCAGCATCAAC AACGAGTGA

FIG.18M

Sheet 41 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

41/90

PfHTL

.44

MQVQIQSLFLLLLWVPGSRGRHNWVNHAVPLAMKLIGPGPGKCNLYADSAWENVKNGPGPGKSKYKLATSVL AGLLGPGPGQTNFKSLLRNLGVSEGPGPGSSVFNVVNSSIGLIMGPGPGVKNVIGPFMKAVCVEGPGPGMNY YGKQENWYSLKKGPGPGGLAYKFVVPGAATPYGPGPGPDSIQDSLKESRKLNGPGPGLLIFHINGKIIKNSE GPGPGAGLLGNVSTVLLGGVGPGPGKYKIAGGIAGGLALLGPGPGMRKLAILSVSSFLFV

FIG. 18N

Sheet 42 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses

Thereof

| *Protein | Sequence | Restriction |
|-------------|-------------|-------------|
| HIV gag 386 | VLAEAMSQV | HLA-A2 |
| HIV gag 271 | MTNNPPIPV | HLA-A2 |
| HIV pol 774 | MASDFNLPPV | HLA-A2 |
| HIV pol 448 | KLVGKLNWA | HLA-A2 |
| HIV pol 163 | LVGPTPVNI | HLA-A2 |
| HIV pol 498 | ILKEPVHGV | HLA-A2 |
| HIV pol 879 | KAACWWAGI | HLA-A2 |
| HIV pol 132 | KMIGGIGGFI | HLA-A2 |
| HIV pol 772 | RAMASDFNL | HLA-A2 |
| HIV pol 183 | TLNFPISPI | HLA-A2 |
| HIV env 134 | KLTPLCVTL | HLA-A2 |
| HIV env 651 | LLQLTVWGI | HLA-A2 |
| HIV env 163 | SLLNATDIAV | HLA-A2 |
| HIV nef 221 | LTFGWCFKL | HLA-A2 |
| HIV vpr 59 | AIIRILQQL | HLA-A2 |
| HIV vpr 62 | RILQQLLFI | HLA-A2 |
| HIV pol 929 | QMAVFIHNFK | HLA-A3 |
| HIV pol 722 | KVYLAWVPAHK | HLA-A3 |
| HIV pol 971 | KIQNFRVYYR | HLA-A3 |
| HIV pol 347 | AIFQSSMTK | HLA-A3 |
| HIV pol 98 | VTIKIGGQLK | HLA-A3 |
| HIV env 61 | TTLFCASDAK | HLA-A3 |
| HIV env 47 | VTVYYGVPVWK | HLA-A3 |
| HIV nef 100 | QVPLRPMTYK | HLA-A3 |
| HIV vif 7 | VMIVWQVDR | HLA-A3 |
| HIV gag 162 | QMVHQAISPR | HLA-A3 |
| HIV gag 545 | YPLASLRSLF | HLA-B7 |
| HIV gag 237 | HPVHAGPIA | HLA-B7 |
| HIV pol 186 | FPISPIETV | HLA-B7 |
| HIV pol 893 | IPYNPQSQGVV | HLA-B7 |
| HIV env 259 | IPIHYCAPA | HLA-B7 |
| HIV env 250 | CPKVSFEPI | HLA-B7 |
| HIV nef 94 | FPVRPQVPL | HLA-B7 . |
| HIV rev 75 | VPLQLPPL | HLA-B7 |
| HIV pol 684 | EVNIVTDSQY | HLA-A1 |
| HIV gag 317 | FRDYVDRFY | HLA-A1 |
| HIV pol 368 | VIYQYMDDLY | HLA-A1 |
| HIV pol 295 | VTVLDVGDAY | HLA-A1 |
| HIV pol 533 | IYQEPFKNL | HLA-A24 |
| HIV pol 244 | PYNTPVFAI | HLA-A24 |
| HIV pol 530 | TYQIYQEPF | HLA-A24 |
| HIV pol 597 | YWQATWIPEW | HLA-A24 |
| HIV env 681 | IWGCSGKLI | HLA-A24 |
| HIV env 671 | RYLKDQQLL | HLA-A24 |

FIG.19A

Sheet 43 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

| Protein | Sequence | Restriction |
|----------------|------------------|---------------|
| HIV env 55 | VWKEATTTLF | HLA-A24 |
| HIV vpr 46 | IYETYGDTW | HLA-A24 |
| HIV vpr 14 | PYNEWTLEL | HLA-A24 |
| HIV gag 298 | KRWIILGLNKIVRMY | HLA-DR |
| HIV pol 596 | WEFVNTPPLVKLWYQ | HLA-DR |
| HIV pol 956 | QKQITKIQNFRVYYR | HLA-DR |
| HIV pol 712 | KVYLAWVPAHKGIGG | HLA-DR |
| HIV gag 294 | GEIYKRWIILGLNKI | HLA · DR |
| HIV pol 711 | EKVYLAWVPAHKGIG | HLA'-DR |
| HIV env 729 | QHLLQLTVWGIKQLQ | HLA-DR |
| HIV gag 171 | QGQMVHQAISPRTLN | HLA-DR |
| HIV pol 335 | SPAIFQSSMTKILEP | HLA-DR |
| HIV env 566 | IKQFINMWQEVGKAMY | HLA-DR |
| HIV pol 303 | FRKYTAFTIPSINNE | HLA-DR |
| HIV pol 758 | HSNWRAMASDFNLPP | HLA-DR |
| HIV pol 915 | KTAVQMAVFIHNFKR | HLA-DR |
| HIV vpu 31 | YRKILRQRKIDRLID | HLA-DR3 |
| HIV pol 874 | WAGIKQEFGIPYNPQ | HLA-DR3 |
| HIV pol 674 | EVNIVTDSQYALGII | HLA-DR3 |
| HIV pol 619 | AETFYVDGAANRETK | HLA-DR3 |
| HIV pol 989 | GAVVIQDNSDIKVVP | HLA-DR3 |
| HCV NS4 1812 | LLFNILGGWV | HLA-A2 |
| HCV NS1/E2 728 | FLLLADARV | HLA-A2 |
| HCV NS4 1590 | YLVAYQATV | HLA-A2 |
| HCV NS5 2611 | RLIVFPDLGV | HLA-A2 |
| HCV CORE 132 | DLMGYIPLV | HLA-A2 |
| HCV NS4 1920 | WMNRLIAFA | HLA-A2 |
| HCV NS4 1666 | VLVGGVLAA | HLA-A2 |
| HCV NS4 1769 | HMWNFISGI | HLA-A2 |
| HCV NS4 1851 | ILAGYGAGV | HLA-A2 |
| HCV CORE 35 | YLLPRRGPRL | HLA-A2 |
| HCV NS1/E2 726 | LLFLLLADA | HLA-A2 |
| HCV LORF 1131 | YLVTRHADV | HLA-A2 |
| HCV CORE 51 | KTSERSQPR | HLA-A3 |
| HCV CORE 43 | RLGVRATRK | HLA-A3 |
| HCV ENV1 290 | QLFTFSPRR | HLA-A3 |
| HCV NS1/E2 632 | RMYVGGVEHR | HLA-A3 |
| HCV NS3 1396 | LIFCHSKKK | HLA-A3 |
| HCV NS4 1863 | GVAGALVAFK | HLA-A3 |
| HCV NS4 1864 | VAGALVAFK | HLA-A3 |
| HCV NS3 1262 | LGFGAYMSK | HLA-A3 |
| HCV Core 169 | LPGCSFSIF | HLA-B7 |
| HCV NS5 2922 | LSAFSLHSY | HLA-A1 |
| HCV NS3 1128 | CTCGSSDLY | HLA-A1 |
| HCV NS5 2180 | LTDPSHITA | HLA-A1 |
| | | · · · · · · · |

-44

Sheet 44 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

| Protein | Sequence | Restriction |
|-------------------------|------------------|-------------|
| HCV Core 126 | LTCGFADLMGY | HLA-A1 |
| HCV NS3 1305 | LADGGCSGGAY | HLA-A1 |
| HCV NS4 1765 | FWAKHMWNF | HLA-A24 |
| HCV NS5 2875 | RMILMTHFF | HLA-A24 |
| HCV NS5 2639 | VMGSSYGF | HLA-A24 |
| HCV NS4 1765 | FWAKHMWNFI | HLA-A24 |
| P. falciparum SSP2-230 | FMKAVCVEV | HLA-A2 |
| P. falciparum EXP1-83 | GLLGVVSTV | HLA-A2 |
| P. falciparum CSP-7 | ILSVSSFLFV | HLA-A2 |
| P. falciparum LSA1-94 | QTNFKSLLR | HLA-A3 |
| P. falciparum LSA1-105 | GVSENIFLK | HLA-A3 |
| P. falciparum SSP2-522 | LLACAGLAYK | HLA-A3 |
| P. falciparum SSP2-539 | TPYAGEPAPF | HLA-B7 |
| P. falciparum LSA1-1663 | LPSENERGY | HLA-A1 |
| P. falciparum EXP1-73 | KYKLATSVL | HLA-A24 |
| P. falciparum CSP-12 | SFLFVEALF | HLA-A24 |
| P. falciparum LSA1-10 | YFILVNLLI | HLA-A24 |
| P. falciparum SSP2-14 | FLIFFDLFLV | HLA-A2 |
| P. falciparum EXP1-80 | VLAGLLGVV | HLA-A2 |
| P. falciparum EXP1-91 | VLLGGVGLVL | HLA-A2 |
| P. falciparum SSP2-523 | LACAGLAYK | HLA-A3 |
| P. falciparum EXP1-10 | ALFFIIFNK | HLA-A3 |
| P. falciparum LSA1-11 | FILVNLLIFH | HLA-A3 |
| P. falciparum SSP2-126 | LPYGRTNL | HLA-B7 |
| P. falciparum CSP-15 | FVEALFQEY | HLA-A1 |
| P. falciparum LSA1-1794 | FQDEENIGIY | HLA-A1 |
| P. falciparum LSA1-9 | FYFILVNLL | HLA-A24 |
| P. falciparum SSP2-8 | KYLVIVFLI | HLA-A24 |
| P. falciparum CSP-394 | GLIMVLSFL | HLA-A2 |
| P. falciparum EXP1-2 | KILSVFFLA | HLA-A2 |
| P. falciparum CSP-344 | VTCGNGIQVR | HLA-A3 |
| P. falciparum LSA1-59 | HVLSHNSYEK | HLA-A3 |
| P. falciparum SSP2-207 | PSDGKCNLY | HLA-A1 |
| P. falciparum LSA1-1671 | YYIPHQSSL | HLA-A24 |
| P. falciparum LSA1-1876 | KFIKSLFHIF | HLA-A24 |
| P. falciparum SSP2-13 | VFLIFFDLFL | HLA-A24 |
| P. falciparum LSA1-1881 | LFHIFDGDNEI | HLA-A24 |
| P. falciparum CSP-55 | YYGKQENWYSL | HLA-A24 |
| P. falciparum LSA1-5 | LYISFYFI | HLA-A24 |
| P. falciparum CSP-2 | MRKLAILSVSSFLFV | HLA-DR |
| P. falciparum CSP-53 | MNYYGKQENWYSLKK | HLA-DR |
| P. falciparum CSP-375 | SSVFNVVNSSIGLIM | HLA-DR |
| P. falciparum SSP2-61 | RHNWVNHAVPLAMKLI | HLA-DR |
| P. falciparum SSP2-165 | PDSIQDSLKESRKLN | HLA-DR3 |
| P. falciparum SSP2-211 | KCNLYADSAWENVKN | HLA-DR3 |
| | | |

Sheet 45 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

.44

| Protein | Sequence | Restriction |
|------------------------|--|-------------|
| P. falciparum SSP2-223 | VKNVIGPFMKAVCVE | HLA-DR |
| P. falciparum SSP2-509 | | HLA-DR |
| P. falciparum SSP2-527 | GLAYKFVVPGAATPY | HLA-DR |
| P. falciparum EXP1-71 | KSKYKLATSVLAGLL | |
| P. falciparum EXP1-82 | AGLLGNVSTVLLGGV | HLA-DR |
| P. falciparum LSA1-16 | LLIFHINGKIIKNSE | HLA-DR |
| D foloimom. LCA1 04 | OTHERCH I DAIL OVCE | 111 A DO |
| HBV core 18 | FLPSDFFPSV | HLA-A2 |
| HBV env 183 | FLLTRILTI | HLA-A2 |
| HBV env 335 | WLSLLVPFV | HLA-A2 |
| HBV pol 455 | GLSRYVARL | HLA-A2 |
| HBV pol 538 | YMDDVVLGV | HLA-A2/A1 |
| HBV pol 773 | ILRGTSFVYV | HLA-A2 |
| HBV pol 562 | FLLSLGIHL | HLA-A2 |
| HBV pol 642 | ALMPLYACI | HLA-A2 |
| HBV env 338 | FLPSDFFPSV FLLTRILTI WLSLLVPFV GLSRYVARL YMDDVVLGV ILRGTSFVYV FLLSLGIHL ALMPLYACI GLSPTVWLSV | HLA-A2 |
| HBV core 141 | STLPETTVVRR | HLA-A3 |
| HBV pol 149 | HTLWKAGILYK | |
| HBV pol 150 | TLWKAGILYK | |
| HBV pol 388 | LVVDFSQFSR | HLA-A3 |
| HBV pol 47 | NVSIPWTHK | HLA-A3 |
| HBV pol 531 | SAICSVVRR | HLA-A3 |
| HBV pol 629 | KVGNFTGLY QAFTFSPTYK | HLA-A3/A1 |
| HBV pol 665 | QAFTFSPTYK | HLA-A3 |
| HBV core 19 | LPSDFFPSV | HLA-B7 |
| HBV env 313 | IPIPSSWAF | HLA-B7 |
| HBV pol 354 | TPARVTGGVF | HLA-B7 |
| ТВ | RMSRVTTFTV | HLA-A2 |
| TB | ALVLLMLPVV | HLA-A2 |
| ТВ | LMIGTAAAVV | HLA-A2 |
| TB | ALVLLMLPV | HLA-A2 |
| TB | GLMTAVYLV | HLA-A2 |
| ТВ | MALLRLPV | HLA-A2 |
| ТВ | RMFAANLGV | HLA-A2 |
| ТВ | SLYFGGICV | HLA-A2 |
| TB | RLPLVLPAV | HLA-A2 |
| TB . | RLMIGTAAA | HLA-A2 |
| TB | FVVALIPLV | HLA-A2 |
| ТВ | MTYAAPLFV | HLA-A2 |
| ТВ | AMALLRLPLV | HLA-A2 |
| p53 139 | KLCPVQLWV | HLA-A2 |
| CEA 687 | ATVGIMIGV | HLA-A2 |
| CEA 691 | IMIGHLVGV | HLA-A2 |
| Her2/neu 689 | RLLQETELV | HLA-A2 |
| MAGE3 112 | KVAEIVHFL | HLA-A2 |
| | | |

Sheet 46 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060,0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

41

| Protein | Sequence | Restriction |
|--------------|-------------|-------------|
| Her2/neu 665 | VVLGVVFGI | HLA-A2 |
| p53 149 | SMPPPGTRV | HLA-A2 |
| PAP.21.T2 | LTFFWLDRSV | HLA-A2 |
| PAP.112 | TLMSAMTNL | HLA-A2 |
| PAP.284 | IMYSAHDTTV | HLA-A2 |
| PSM.288.V10 | GLPSIPVHPV | HLA-A2 |
| PSM.441 | LLQERGVAYI | HLA-A2 |
| PSM.469L2 | LLYSLVHNL | HLA-A2 |
| PSM.663 | MMNDQLMFL | HLA-A2 |
| PSA.3.V11 | FLTLSVTWIGV | HLA-A2 |
| PSA.143.V8 | ALGTTCYV | HLA-A2 |
| PSA.161 | FLTPKKLQCV | HLA-A2 |
| HuK2.4.L2 | LLLSIALSV | HLA-A2 |
| HuK2.53.V11 | VLVHPQWVLTV | HLA-A2 |
| HuK2.165 | FLRPRSLQCV | HLA-A2 |
| HuK2.216.V11 | PLVCNGVLQGV | HLA-A2 |

FIG.19E

Sheet 47 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

| ID# | Epitope | Sequence | Conservation | HLA restriction | Prototype Binding | xRN ¹ |
|--------------------|--------------------|-------------------------|--------------|-----------------|----------------------|-----------------------|
| 924.07 777.03 | core 18 env 183 | FLPSDFFPSV FLLTRILTI | 45 80 | A2 A2 | 3.5 9.8 | 5 4 |
| 1013.01 1168.02 | env 335 pol 455 | WLSLLVPFV GLSRYVARL | 100 55 | A2 A2 | 5.4 55.9 | 4 |
| 1090.77 | pol 538 | YMDDVVLGV | 90 | A2/A1 | 6.4 | 5 |
| 927.11 927.15 | pol 562 pol 642 | FLLSLGIHL ALMPLYACI | 95 95 | A2 A2 | 7.8 12.9 | 4 3 5 3 4 |
| 1083.01 | core 141 | STLPETTWRR | 95 | A3/A11 | 735/4.5 | : |
| 1147.16 | pol 149 | HTLWKAGILYK | 100 | A3/A1 | 15.4/15.6 | |
| 1069.15 | pol 150 | TLWKAGILYK | 100 | A3/A11 | 2.1/33 | 5 2 3 3 3 |
| 1069.20 | pol 388 | LVVDFSQFSR | 100 | A3/A11 | 6875/17 | 3 |
| 1069.16 | pol 47 | NVSIPWTHK | 100 | A3/A11 | 174/117 | 3 |
| 1090.11 | pol 531 | SAICSVVRR | 95 | A3/A11 | 2189/29 | |
| 1142.05 | pol 629 | KVGNF TGLY | 95 | A3/A1 | 58/365 | . 3 |
| 1090.10 | pol 665 | QAFTFSPTYK | 95 | A3/A11 | 249/8 | . 3 |
| 988.05 | core 19 | LPSDFFPSV | 45 | B7 | 3026.8 | 4 |
| 1145.04 | env 313 | IPIPSSWAF | 100 | B7 | 42.3 | 4 |
| 1147.04 | pol 354 | TPARVTGGVF | 90 | B7 | 13.2 | |
| 1147.02 | pol_429 | HPAAMPHLL | 100 | B7 | 56.6 | 4 |
| 1039.06 | env 359 | WMMWYWGPSLY | 85 | A 1 | 16.3 | 3 3 3 3 |
| 1448.01 | core 419 | DLLDTASALY | 75 | A1 | 2.3 | 3 |
| 1373.88 | core 137 | LTFGRETVLEY | 75 | A1 | 80.0 | 3 |
| 1090.07 | pol 415 | LSLDVSAAFY | 95 | A1 | 6.0 | 3 |
| 20.0271 | pol 392 | SWPKF AVPNL | 95 | A24 | 2.1 | 2 |
| 1373.56 | env 332 | RFSWLSLLVPF | 100 | A24 | 12.0 | 2 |
| 1373.07 | core 117 | EYLVSFGW | 90 | A24 | 16.0 | 2 2 3 |
| 1069.23 | pol 745 | KYTSFPWLL | · 85 | A24 | 1.0 | 3 |


¹ XRN = Cross binding, number of HLA types in the supertype panel of 5 for which significant binding as detected

Sheet 48 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

-44

| | | Thereo | | | 48/90 |
|---|-------------------|--|------------|---------------------|------------|
| | | Pol 642 | Ø | Pol 642 | V 2 |
| • | | Core Pol 5 117 642 | A24 | Env 332 | A24 |
| | | Pol 415 | A1 | Env 359 | FA |
| | ç | Core Pol 137 415 | A1 | Core Env 137 359 | A1 |
| | pitope | Pol 392 | A24 | 392 | A24 |
| | A1 & A24 epitopes | Core Env 419 332 | A24 | core 419 | ¥I. |
| | 8 | Core 419 | A | Pol 429 | 87 |
| | • | Pol 429 | 87 | 1 | A24 |
| | | Pol 745 | A24 | | A1 |
| | | Pol Env 531 359 | A A | Core 117 | A24 |
| | | Pol 531 | æ | | |
| | | 288 888 | ₹ | | |
| | | Pol 47 | æ | | |
| | | Pol 150 | æ | | |
| | | Core 1 | 87 | | |
| | | Pol 629 | æ | | |
| | | Env Pol 313 354 | 83 | | |
| | | | 87 | | |
| | HBV2 EpiGene | Pol Env Core Pol Env 455 183 141 665 335 | Ŋ | | |
| | 2 Epi | Pol 665 | A3 A3 | | |
| | 至 | Core | • | | |
| | | Env 183 | ZZ | | |
| | | Pol 455 | A2 | | |
| | | Pol 538 | A2 | | |
| | | e Pol 562 | A2 | | |
| | | ORE Core Pol Pol | A 2 | | |
| | | PADRE | | | |
| | | Pol PADRE 149 PADRE | æ | | |
| | 0 0 | Ę | | | |



Sheet 50 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

50/90

HBV-2

.44

MGMQVQIQSLFLLLLWVPGSRGHTLWKAGILYKAKFVAAWTLKAAAFLPSDFFPSVNFLLSLGIHLYMDDVVLGVGLS RYVARLFLLTRILTISTLPETTVVRRQAFTFSPTYKGAAAWLSLLVPFVNIPIPSSWAFKTPARVTGGVFKVGNFTGL YNLPSDFFPSVKTLWKAGILYKNVSIPWTHKGAALVVDFSQFSRNSAICSVVRRALMPLYACI

ATGGGAATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCCGGGTCCAGAGGACACACCCTGTGG
AAGGCCGGAATCCTGTATAAGGCCAAGTTCGTGGCTGCCTGGACCCTGAAGGCTGCCGCTTTCCTGCCTAGCGATTTC
TTTCCTAGCGTGAACTTCCTGCTGTCCCTGGGAATCCACCTGTATATGGATGACGTGGTGCTGGGAGTGGGACTGTCC
AGGTACGTGGCTAGGCTGTTCCTGCTGACCAGAATCCTGACCATCTCCACCCTGCCAGAGACCACCGTGGTGAGGAGG
CAGGCCTTCACCTTTAGCCCTACCTATAAGGGAGCCGCTGCCTGGCTGAGCCTGCTGGTGCCCTTTGTGAATATCCCT
ATCCCTAGCTCCTGGGCTTTCAAGACCCCAGCCAGGGTGACCGGAGGAGTGTTTAAGGTGGGAAACTTCACCGGCCTG
TATAACCTGCCCAGCGATTTCTTTCCTAGCGTGAAGACCCTGTGGAAGGCCGGAATCCTGTACAAGAATGTGTCCATC
CCTTGGACCCACAAGGGAGCCGCTCTGGTGGTAGCACTTTTCCCAGTTCAGCAGAAATTCCGCTATCTGCTCCGTGGTG
AGGAGAGCTCTGATGCCACTGTATGCCTGTATCTGA

FIG.20D

HBV-2A

MGMQVQIQSLFLLLWVPGSRGHTLWKAGILYKAKFVAAWTLKAAAFLPSDFFPSVNFLLSLGIHLYMDDVVLGVGLS RYVARLFLLTRILTISTLPETTVVRRQAFTFSPTYKGAAAWLSLLVPFVNIPIPSSWAFKTPARVTGGVFKVGNFTGL YNLPSDFFPSVKTLWKAGILYKNVSIPWTHKGAALVVDFSQFSRNSAICSVVRRKAWMMWYWGPSLYKKYTSFPWLLN AHPAAMPHLLKAAADLLDTASALYNAAARFSWLSLLVPFNAASWPKFAVPNLKLTFGRETVLEYKALSLDVSAAFYGA AEYLVSFGVWGAALMPLYACI

ATGGGAATGCAGGTGCAGATCCAGAGCCTGTTTCTGCTCCTCCTGTGGGTGCCGGGTCCAGAGGACACACCCTGTGG
AAGGCCGGAATCCTGTATAAGGCCAAGTTCGTGGCTGCCTGGACCCTGAAGGCTGCCGCTTTCCTGCCTAGCGATTTC
TTTCCTAGCGTGAACTTCCTGCTGTCCCTGGGAATCCACCTGTATATGGATGACGTGGTGCTGGGAGTGGGACTGTCC
AGGTACGTGGCTAGGCTGTTCCTGCTGACCAGAATCCTGACCATCTCCACCCTGCCAGAGACCACCGTGGTGAGGAGG
CAGGCCTTCACCTTTAGCCCTACACAGAATCCTGACCATCTCCACCCTGCCAGAGACCACCGTGGTGAAGATCCCT
ATCCCTAGCTCCTGGGCTTTCAAGACCCCAGCCAGGGTGACCGGAGGAGGTGTTTAAGGTGGGAAACTTCACCGGCCTG
TATAACCTGCCCAGCGATTTCTTTCCTAGCGTGAAGACCCTGTGGAAGGCCGGAATCCTGTACAAGAATGTGTCCATC
CCTTGGACCCACAAGGGAGCCGCTCTGGTGGTGGACCTTTTCCCAGTTCAGCAGAAAATAGCGCCATCTGTTCGGTCGTG
AGAAGGAAAGCCTGGATGATGTGGTACTGGGGTCCTAGTCTGTATAAGAAGTACACCTCATTCCCATGGCTCTTGAAT
GCCCATCCCGCTGCAATGCCACACCTGCTTAAAGCTGCGGCGGATCTGCTGGACACAGCCTCAGCTTTATATAATGCT
GCAGCAAGATTCTCCTGGTTGTCTCTCTTAGTGCCCTTCAACGCAGCTTCCTGGCCCAAAATTTGCCGTTCCGAACCTG
AAGCTCACTTTTTGGAAGAGAGAGACAGTACTTGAATACAAAGCACTAAGCCTTGACGTGCAACTTTTGA
GCAGCAATATCTAGTATCTTTTTGGGGTCTGGGGCGCAGCCCTCATGCCTCTATACGCCTTCCAACGCAGCTTCTTAACGCAGCA

Sheet 51 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses

Thereof

51/90

.41

HBV-2B

MGMQVQIQSLFLLLLWVPGSRGHTLWKAGILYKAKFVAAWTLKAAAFLPSDFFPSVNFLLSLGIHLYMDDVVL GVGLSRYVARLFLLTRILTISTLPETTVVRRQAFTFSPTYKGAAAWLSLLVPFVNIPIPSSWAFKTPARVTGG VFKVGNFTGLYNLPSDFFPSVKTLWKAGILYKNVSIPWTHKGAALVVDFSQFSRNSAICSVVRRKEYLVSFGV WGLSLDVSAAFYNAAAKYTSFPWLLNAHPAAMPHLLKAAADLLDTASALYNSWPKFAVPNLKLTFGRETVLEY KAAWMMWYWGPSLYKAAARFSWLSLLVPFGAAALMPLYACI

FIG.20F

Sheet 52 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

assigned Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

| - 1 | | | | | | | | | | | | | - | | | | | | | | |
|----------------------|------------|------------|-----------|-----------|-------------|------------|-------------|----------|------------|------------|------------|-----------|------------|-------------|------------|-------------|------------|---------------|-------------|----------|-----------|
| XRN | 5 | 4 | 4 | ~ | ا ا ا | 4 | 5 | ~ | 3 | 4 | 2 | 4 | 2 | 3 | س | 3 | 3 | 2 | 2 | 2 | 3 |
| Prototype Binding | 3.5 | 9.8 | 5.4 | 7.8 | 6.4 | 735/4.5 | 15.4/15.6 | 2189/29 | 249/8 | 42.3 | 13.2 | 56.6 | 58.5 | 16.3 | 2.3 | 80.0 | 6.0 | 2.1 | 12.0 | 16.0 | 1.0 |
| HLA restriction | A2 | A 2 | A2 | A2 | A2/A1 | A3/A11 | A3/A1 | A3/A11 | A3/A11 | <u> </u> | 87 | 87 | 87 | A1 | A1 | A1 | A1 | A24 | A24 | A24 | A24 |
| Conservation | 45 | 8 | 100 | 95 | 06 | 96 | 100 | 95 | 95 | 1001 | 06 | 100 | 95 | 85 | 75 | 75 | 95 | 95 | 100 | 06 | 85 |
| Sequence | FLPSDFFPSV | FLLTRILTI | WLSLLVPFV | FLLSLGIHL | YMDDVVLGV | STLPETTWRR | HTLWKAGILYK | SAICSWRR | QAFTFSPTYK | _]PIPSSWAF | TPARVTGGVF | HPAAMPHLL | FPHCLAFSYM | WAMAYWGPSLY | DLLDTASALY | LTFGRETVLEY | LSLDVSAAFY | - SWPKF AVPNL | RFSWLSLLVPF | EYLVSFGW | KYTSFPWLL |
| Epitope | core 18 | env 183 | env 335 | pol 562 | pol 538 | core 141 | pol 149 | pol 531 | pol 665 | env 313 | pol 354 | pol 429 | pol 530 | env 359 | core 419 | core 137 | pol 415 | pol 392 | env 332 | core 117 | pol 745 |
| #aı | 924.07 | 777.03 | 1013.01 | 927.11 | 1090.77 | 1083.01 | 1147.16 | 1090.11 | 1090.10 | 1145.04 | 1147.04 | 1147.02 | 1147.05 | 1039.06 | 1448.01 | 1373.88 | 1090.07 | 20.0271 | 1373.56 | 1373.07 | 1069.23 |


assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

| 53/90 |
|-------|
|-------|

| nized | Multi | -Epitope Co | onstru | cts an | d Uses Thereof |
|-------|---------|-------------|--------|-----------|----------------|
| Pol | 665 | SA . | Pol | 745 | A24 |
| Core | 137 | A1 | Pol | 415 | A1 |
| Core | 18 | A2 | @ | PADRE | |
| Env | 335 | A 2 | Env | 335 | A2 |
| En | 313 | 87 | | 141 | |
| Pol | 295 | A2 | | 429 | |
| lоd | 531 | £A | Core | 137 | A1 |
| Env | 359 | A1 | Pol | 295 | A 2 |
| Юď | 530 | 87 | Ьol | 354 | 87 |
| Core | 419 | A1 | Env | 359 | A1 |
| | | A2 | Ę Š | 313 | 87 |
| Core | 117 | A24 | En | 183 | 4 2 |
| Pol | 354 | 87 | Pol | 531 | A3 |
| | _ | A24 | | 665 | |
| Pol | 745 | A24 | Pol | 392 | A24 |
| Pol | 415 | A1 | En | 332 | A24 |
| En∨ | 183 | A2 | Pol | 530 | 87 |
| Pol | 149 | A3 | Core | 18 | ¥2 |
| Pol | 429 | 87 | Pol | 149 | A3 |
| Core | 141 429 | ξĄ | Core | 419 | A1 |
| æ | PADRE | | Core | 117 419 | A24 |
| Pol | 392 | A24 | Pol | 538 | A2 |
| اممن | | | اممن | iniliais. | |

-41

Sheet 54 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof



Sheet 55 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

55/90

HBV - 21A

MGMQVQIQSLFLLLLWVPGSRGSWPKFAVPNLKAAAAKFVAAWTLKAAAKSTLPETTVVRRKHPAAMPHLLKAAAHTL WKAGILYKKAFLLTRILTIGALSLDVSAAFYNAAAKYTSFPWLLNAAARFSWLSLLVPFNAATPARVTGGVFKAAEYL VSFGVWGAAAYMDDVVLGVNDLLDTASALYNAAAFPHCLAFSYMKAAAWMMWYWGPSLYKAASAICSVVRRKNFLLSL GIHLNIPIPSSWAFKAAWLSLLVPFVNAFLPSDFFPSVKLTFGRETVLEYKOAFTFSPTYK

ATGGGAATGCAGATCCAGAGCCTGTTTCTGCTCCTCTGTGGGTGCCCGGGTCCAGAGGATCTTGGCCTAAA
TTCGCAGTGCCAAACCTTAAAGCCGCGGCTGCTAAGTTCGTAGCTGCCTGGACACTAAAGGCCGCCGCTAAGAGCACA
CTGCCAGAGACCACCGTGGTCCGGCGAAAGCATCCAGCCGCAATGCCCCACTTGCTCAAAGCAGCCGCCCACACTCTT
TGGAAGGCTGGGATATTGTACAAGAAAGCCTTCCTTCTGACCAGGATATTAACTATCGGAGCTCTGTCACTCGACGTT
TCTGCTGCCTTCTACAACGCGGCGGCAAAATACACTAGCTTTCCATGGCTACTCAACGCAGCCGCCAGATTTTCTTGG
CTATCACTACTGGTGCCATTTAATGCAGCAACACCTGCTAGAGTGACTGGCGGCGTCTTTAAAGCAGCCGAGTACTTG
GTGAGCTTTGGCGTCTGGGGTGCAGCGGCATATATGGATGATGTAGTGTTAGGGGTGAACGACCTCCTGGACACAGCC
AGTGCGCTGTACAATGCAGCTGCATTCCCGCATTGCCTAGCCTTCAGTTATATGAAAGCAGCAGCCTGGATGATGTGG
TACTGGGGACCGTCCCTTTATAAAAGCAGCTTCAGCAATCTGTTCCGTTTGTAGAGAGAAAAAAACTTTTTACTCTCCCTC
GGTATTCACCTGAACATTCCCCATCCCTTCCTCATGGGCATTCAAAGCCGCTTGGCTGAGTCTACTCGTACCTTTCGTT
AATGCATTTCTGCCCAGCGACTTTTTTCCCCTCGGTAAAAACTGACATTCGGACGCGAAACAGTCCTTGAATATAAGCAG
GCCTTCACGTTCTCACCAACCTATAAATGA

FIG.21D

HBV-21B

MGMQVQIQSLFLLLLWVPGSRGYMDDVVLGVNAAAEYLVSFGVWNDLLDTASALYGAAHTLWKAGILYKKAFLPSDFF PSVKAFPHCLAFSYMKAARFSWLSLLVPFNAASWPKFAVPNLKAAAQAFTFSPTYKNAAASAICSVVRRKAFLLTRIL TINIPIPSSWAFKAAWMMWYWGPSLYKAAATPARVTGGVFKAANFLLSLGIHLNLTFGRETVLEYKHPAAMPHLLKAA STLPETTVVRRKWLSLLVPFVNAAAAKFVAAWTLKAAAKLSLDVSAAFYNAAAKYTSFPWLL

Sheet 56 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

.41}

| ID# | Epitope | Sequence | Conservation | HLA restriction | Prototype Binding | XRN |
|--------------------|--------------------|---------------------------|--------------|--------------------|----------------------|------------------|
| 924.07 | core 18 | FLPSDFFPSV | 45 | A2 | 3.5 | 5 |
| 777.03 | env 183 | FLLTRILTI | 80 100 | A2 | 9.8 | 4 |
| 1013.01 | env 335 pol 455 | WLSLLVPFV GLSRYVARL | 55 | A2 A2 | 5.4 55.9 | 4 3 |
| 1090.77 | pol 433 | YMDDVVLGV | 90 | A2/A1 | 6.4 | 5 |
| 927.11 | pol 562 | FLLSLGIHL | 95 | A2 | 7.8 | 5 3 |
| 1083.01 | core 141 | STLPETTVVRR | 95 | A3/A11 | 735/4.5 | 4 |
| 1147.16 | pol 149 | HTLWKAGILYK | 100 | A3/A1 | 15.4/15.6 | 5 |
| 1069.20 | pol 388 | LVVDFSQFSR | 100 | A3/A11 | 6875/17 | 5 3 3 3 |
| 1069.16 | pol 47 | NVSIPWTHK | 100 | A3/A11 | 174/117 | 3 |
| 1090.11 | pol 531 | SAICSVVRR | 95 | A3/A11 | 2189/29 | 3 |
| 1090.10 | pol 665 | QAFTFSPTYK | 95 | A3/A11 | 249/8 | 3 |
| 988.05 | core 19 | LPSDFFPSV | 45 | B7 | 3026.8 | 4 |
| 1145.04 | env 313 | IP IPSSWAF_ | 100 | <u>B7</u> | 42.3 | 4 |
| 1147.04 | pol 354 | TPARVTGGVF | 90 | B7 | 13.2 | 2 |
| 1147.02 | pol 429 | HPAAMPHLL | 100 | B7 | 56.6 | 4 5 |
| 1147.05 | pol 530 | FPHCLAFSYM YPALMPLYACI | 95 95 | B7 B7 | 58.5 1393.4 | ว ว |
| 1359.01 1039.06 | pol 640 env 359 | WMMWYWGPSLY | <u></u> | A1 | 16.3 | <u>3</u> |
| 1448.01 | core 419 | DLLDTASALY | 75 | A1 | 2.3 | ے ع |
| 1373.88 | core 137 | | 75 75 | A1 | 80.0 | 3 |
| 1373.78 | pol 166 | ASFCGSPY | 100 | A1 | 247.0 | 3 3 3 |
| 1090.07 | pol 415 | LSLDVSAAFY | 95 | A1 | 6.0 | 3 |
| 1069.08 | env 249 | ILLLCLIFLL | 100 | A1 | 192.0 | 1 |
| 20.0269 | env 236 | RWMCLRRF I I | 95 | A24 | 11.0 | 3 |
| 20.0271 | pol 392 | SWPKFAVPNL | 95 | A24 | 2.1 | 2 |
| 1373.56 | env 332 | RFSWLSLLVPF | 100 | A24 | 12.0 | 2 |
| 1373.38 | core 101 | LWFHISCLTF | 85 | A24 | 6.7 | . 3 |
| 1373.07 | core 117 | EYLVSFGVW | 90 | A24 | 16.0 | 2 |
| 1069.23 | pol 745 | KYTSFPWLL | 85 | A24 | 1.0 | 3 |

FIG.22A

Sheet 57 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

| Env 359 | ¥ | S \$ | 83 | 57/90 |
|---|-----------------|---|------------|-------|
| (€) | | Pol Core 538 101 | N24 | |
| S2 | Α3 | Pol (538) | 42 | |
| 335 335 | A 2 | Pol 166 | F | |
| Pol Pol Env Env Pol Env Pol 538 388 236 332 354 335 531 PADRI | 87 | Env 236 | | |
| £18€ | A24 | Pol 429 | 87 | |
| Env 236 | A24 | Pol Core Pol Env 455 141 429 236 | æ | |
| Pol 388 | £ | Pol 455 | ¥2 | |
| Pol 538 | A 2 | ® Pol 47 | æ | |
| ore 19 | 87 |)RE | | |
| ore C 37 | - B | Pol Pol 531 415 PAURE | _ | |
| 17 1. | A24 A1 | ol P 31 4 | 3 A1 | |
| 30 CC | B7 & | ol P 92 5 | A24 A3 | |
| ore P | 7 E | ore F 19 3 | 11 A | 00 |
| Pol Core Pol Core Core Core 745 18 530 117 137 19 | A24 A2 | ore C | 7 7 | 2E |
| Pol F | A2 A | Env Env Core Core Core Pol 183 313 117 19 18 419 392 | 1 /8 | i.22B |
| 201 66 4 | A1 , | ore C | 754 | FIG |
| Pol Pol Pol 640 429 166 | 87 | Env (C 313 | 87 / | 正 |
| Pol 640 | 87 | Env 183 | A 2 | |
| | A1 | Env 335 | V 2 | |
| Pol Env Core Env 562 313 101 249 | | Pol Env Pol Env 149 359 640 335 | 187 | |
| 313 | 87 | Env 359 | A | |
| Pol 562 | A2 B7 A24 | Pol 149 | Α3 | |
| Pol 47 | æ | Env 249 | A 1 | |
| Pol 665 | 3 | Pol 388 | A3 | |
| Pol Core Pol Pol 149 419 665 47 | ¥1 | Pol Pol Env 530 388 249 | 187 | |
| Pol 149 | S. | Env 332 | A24 A24 | |
| Env Pol 183 392 | A2 A24 A3 A1 A3 | 25 5 | A24 | |
| 183 183 | Y 2 | | K2 | |
| signal | i | signal | | |

.44

Sheet 58 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

.44




FIG.22C

Sheet 59 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

HBV - 30B

MGMQVQIQSLFLLLLWVPGSRGFLLTRILTINAAASWPKFAVPNLKAAAHTLWKAGILYKKADLLDTASALYNQAFTFS PTYKGAAANVSIPWTHKGAAAFLLSLGIHLNIPIPSSWAFKAAALWFHISCLTFKAAAILLLCLIFLLNAAAYPALMPL YACINAHPAAMPHLLKAAASFCGSPYKAAGLSRYVARLNKYTSFPWLLNFLPSDFFPSVKAFPHCLAFSYMKAEYLVSF GVWNAALTFGRETVLEYKAAALPSDFFPSVKAYMDDVVLGVNLVVDFSQFSRNAAARWMCLRRFIINAARFSWLSLLVP FNAATPARVTGGVFKAAWLSLLVPFVNSAICSVVRRKAKFVAAWTLKAAAKWMMWYWGPSLYKAASTLPETTVVRRKLS **LDVSAAFY**

ATGGGAATGCAGGTCCAGATACAGAGCTTGTTCCTCCTCCTGCTTTGGGTCCCCGGATCAAGGGGTTTCCTCCTAACCC GAAAGCAGGGATACTGTACAAGAAAGCCGATCTGCTAGACACAGCGTCTGCGTTGTACAACCAGGCTTTTACTTTCTCT CCTACATATAAAGGCGCAGCTGCAAACGTGAGTATCCCTTGGACGCACAAAGGAGCCGCTGCCAACTTCTTACTGTCCC TGGGCATCCATCTAAATATCCCTATTCCTTCATCCTGGGCATTTAAAGCAGCCGCCTTATGGTTCCACATAAGTTGTCT GACCTTCAAAGCCGCAGCAATCCTGCTCCTTTGCCTCATTTTCTTACTAAACGCCGCTGCCTATCCAGCTCTTATGCCA TTGTACGCATGTATCAACGCCCACCCCGCAGCAATGCCCCACCTCCTTAAAGCTGCCGCCAGTTTCTGCGGTTCTCCTT ATAAAGCAGCAGGGCTGTCCAGATACGTAGCTAGGCTAAACAAGTATACCAGCTTCCCCTGGTTACTTAATTTCCTGCC GTCAGATTTCTTTCCATCAGTTAAGGCCTTCCCTCATTGTCTGGCCTTTAGCTACATGAAGGCTGAATATTTGGTATCC TTCGGCGTGTGGAATGCGGCACTGACATTTGGAAGGGAGACAGTGCTCGAGTACAAAGCCGCCGCACTACCCTCGGACT TCTTCCCATCGGTCAAAGCTTACATGGACGATGTAGTCCTCGGCGTTAACTTAGTAGTAGTGGACTTTTCTCAATTTTCCAG AAACGCAGCGGCCAGATGGATGTCCCTTCGGCGTTTTATAATAAACGCCGCTCGATTCAGCTGGCTATCACTCCTAGTT CCATTTAATGCAGCTACACCCGCACGGGTGACAGGTGGAGTTTTCAAGGCAGCGTGGCTTTCACTGCTTGTGCCATTTG TGAACTCAGCTATTTGCTCAGTAGTGAGAAGGAAGGCAAAATTCGTCGCTGCCTGGACTCTCAAAGCTGCCGCAAAGTG GATGATGTGGTATTGGGGACCGAGCTTGTACAAAGCGGCCTCTACTCTGCCAGAAACTACCGTAGTGAGAAGAAAACTG AGCCTGGACGTCAGCGCGGCATTCTACTGA

FIG.22D

HBV-30C

MGMQVQIQSLFLLLLWVPGSRGFLLSLGIHLNAAAKYTSFPWLLNAAARFSWLSLLVPFNAAFPHCLAFSYMKAALVVD FSQFSRGAILLLCLIFLLNAAAHTLWKAGILYKKAWMMWYWGPSLYKAYPALMPLYACIGAAAWLSLLVPFVNFLLTRI LTINIPIPSSWAFKAAAEYLVSFGVWNLPSDFFPSVKFLPSDFFPSVKDLLDTASALYNSWPKFAVPNLKAAASAICSV VRRKLSLDVSAAFYNAAAKFVAAWTLKAAAKAANVSIPWTHKGAAGLSRYVARLNAAASTLPETTVVRRKHPAAMPHLL KAAARWMCLRRFIINASFCGSPYKAAYMDDVVLGVNALWFHISCLTFKAAATPARVTGGVFKAAALTFGRETVLEYKQA **FTFSPTYK**

ATGGGAATGCAGGTGCAAATACAGTCTCTCTTCCTTTTGCTTCTCTGGGTTCCAGGATCACGGGGCTTCTTGCTTAGCT TGGGCATCCACCTAAATGCTGCTGCAAAATACACATCTTTTCCTTGGCTCCTTAATGCCGCCGCTAGGTTTTCATGGCT GAGTCTGCTAGTACCTTTCAATGCGGCTTTCCCACATTGCCTAGCTTTTAGCTATATGAAAGCTGCTTTAGTCGTGGAC TTTTCACAGTTTAGCAGAGGAGCAATCCTGCTGCTATGTCTGATATTCCTTCTAAACGCAGCAGCCCACACACTCTGGA AAGCTGGTATCCTTTACAAGAAAGCCTGGATGATGTGGTATTGGGGACCCAGCCTCTACAAAGCATACCCTGCCCTGAT GCCACTATACGCATGCATTGGCGCGGCAGCCTGGTTATCCCTTTTAGTACCGTTTGTCAACTTTCTATTAACCAGAATC CTGACGATTAATATTCCGATCCCAAGTTCCTGGGCATTCAAAGCAGCCGCGGAGTATCTGGTTTCATTTGGCGTATGGA CGCGAGCGCTCTGTACAACTCGTGGCCAAAATTCGCAGTTCCAAACCTAAAAGCCGCCGCCAGTGCCATTTGTTCCGTG GTAAGGAGAAAATTATCACTCGACGTGTCCGCAGCATTTTATAACGCTGCTGCAAAGTTTGTCGCAGCATGGACATTGA AGGCTGCAGCGAAAGCAGCAAATGTATCAATACCCTGGACCCACAAGGGTGCAGCCGGGCTGTCTAGGTATGTGGCGAG GCTAAACGCCGCCGCCTCAACACTGCCTGAGACTACTGTCGTGAGACGCAAACACCCTGCCGCAATGCCCCACCTGCTG ACATGGACGATGTGGTCCTCGGAGTGAATGCCCTCTGGTTCCATATCAGCTGCCTGACATTCAAGGCAGCCGCCACCCC TTCACATTCTCCCCAACATACAAGTGA

Sheet 60 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses

Thereof

60/90

.40}


B7 A2 A1 HBV-30C core 19 core 419 K core 18 K HBV-30CL core 419 core 19 core 18 K AAA K AAA **B7 A2 A2** env 183 HBV-30C env 335 N N env 313 HBV-30CL env 335 env 183 NAAA env 313 N

FIG.23A

-41

Sheet 61 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof



Sheet 62 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

62/90

HBV-CL

. 41

MQVQIQSLFLLLLWVPGSRGFLLSLGIHLNAAAKYTSFPWLLNAAARFSWLSLLVPFNAAFPHCLAFSYMKA ALVVDFSQFSRGAILLLCLIFLLNAAAHTLWKAGILYKKAWMMWYWGPSLYKAYPALMPLYACIGAAAWLSL LVPFVNFLLTRILTINAAAIPIPSSWAFKAAAEYLVSFGVWNLPSDFFPSVKAAAFLPSDFFPSVKAAADLL DTASALYNSWPKFAVPNLKAAASAICSVVRRKLSLDVSAAFYNAAAKFVAAWTLKAAAKAANVSIPWTHKGA AGLSRYVARLNAAASTLPETTVVRRKHPAAMPHLLKAAARWMCLRRFIINASFCGSPYKAAYMDDVVLGVNA LWFHISCLTFKAAATPARVTGGVFKAAALTFGRETVLEYKQAFTFSPTYK

ATGGGAATGCAGGTGCAAATACAGTCTCTCTTTCCTTTTGCTTCTTGGGTTCCAGGATCACGGGGCTTCTTG CTTAGCTTGGGCATCCACCTAAATGCTGCTGCAAAATACACATCTTTTCCTTGGCTCCTTAATGCCGCCGCT AGGTTTTCATGGCTGAGTCTGCTAGTACCTTTCAATGCGGCTTTCCCACATTGCCTAGCTTTTAGCTATATG AAAGCTGCTTTAGTCGTGGACTTTTCACAGTTTAGCAGAGGAGCAATCCTGCTGCTATGTCTGATATTCCTT CTAAACGCAGCCCACACACTCTGGAAAGCTGGTATCCTTTACAAGAAAGCCTGGATGATGTGGTATTGG TCCCTTTTAGTACCGTTTGTCAACTTTCTATTAACCAGAATCCTGACGATTAATGCTGCCGCCATTCCGATC CCAAGTTCCTGGGCATTCAAAGCAGCCGCGGAGTATCTGGTTTCATTTGGCGTATGGAACCTGCCAAGCGAC CTCCTTGATACCGCGAGCGCTCTGTACAACTCGTGGCCAAAATTCGCAGTTCCAAACCTAAAAGCCGCCGCC AGTGCCATTTGTTCCGTGGTAAGGAGAAAATTATCACTCGACGTGTCCGCAGCATTTTATAACGCTGCTGCA AAGTTTGTCGCAGCATGGACATTGAAGGCTGCAGCGAAAGCAGCAAATGTATCAATACCCTGGACCCACAAG GGTGCAGCCGGGCTGTCTAGGTATGTGGCGAGGCTAAACGCCGCCGCCTCAACACTGCCTGAGACTACTGTC TTCATAATAAACGCTTCTTTCTGTGGGTCACCCTACAAAGCCGCTTACATGGACGATGTGGTCCTCGGAGTG AATGCCCTCTGGTTCCATATCAGCTGCCTGACATTCAAGGCAGCCGCCACCCCCGCTCGTGTGACAGGAGGT GTCTTCAAAGCCGCGCACTGACTTTCGGTCGGGAAACTGTATTGGAATATAAGCAGGCCTTCACATTCTCC CCAACATACAAGTGA


FIG.23C

| She Ap Ok nv | pl. No. 2 assignmentors l. No.: Ther | of 90 10/67 060.0 ned : SET 202-3 | 77,754 20000: FE et a 71-260 | ; Filed 3/HCC il. | : Oct | 3, 200: ; Grou | ıp Uni | | × |
|-----------------------|--------------------------------------|--|---------------------------------------|-------------------------|-------|-------------------|--------|---------|---|
| | 35 | 83 | 72 | 75 | 47 | 8 | 33 | <u></u> | |

| | ∄ DR | | | | | | HLA-DR Binding Capacity (IC50 nM) | ling Capacity | , (IC50 nM) | | | | | | |
|----------|----------|-----------|---|------------|------|-----------|-----------------------------------|---------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Epitope | Bound | DRB1*0101 | DRB1*0101 DRB1*1501 DRB1*0301 DRB1*0401 | DRB1*0301 | | DRB1*0405 | DRB1*1101 | DRB1*1201 | DRB1*1302 | DRB1*0701 | DRB1*0802 | DRB1*0901 | DRB5*0101 | DRB3*0101 | DRB4*0101 |
| pol 412 | 10 | 2.0 | 21 | , | 10.0 | 47 | 303 | 397 | 143 | 173 | 598 | 791 | 1067 | 1837 | 4179 |
| pol 664 | = | 01 | 41 | i | 88 | 181 | 82 | ı | 190 | 06 | 416 | 142 | 144 | 4848 | 322 |
| env 180 | 2 | - | 217 | ı | 6 | 258 | 9 | 4229 | 6 | œ | 189 | 92 | 1158 | 4374 | 969 |
| pol 774 | 6 | 15 | 748 | ł | 119 | 94 | 443 | 1 | ı | 94 | 818 | 220 | 400 | 1 | ı |
| core 120 | ∞ | 27 | 43 | 1 | 28 | 220 | = | 817 | 565 | 78 | 76 | 1773 | 7 | 6454 | 395 |
| pol 145 | 2 | 12 | 4.0 | 1 | 2271 | 1499 | 42 | 149 | 766 | 61 | 36 | 133 | 35 | 1 | 782 |
| env 339 | 6 | 408 | 14 | ı | 315 | 78 | 54 | 452 | 2330 | 2744 | 99 | 31 | 1516 | 1661 | 22 |
| pol 501 | ∞ | 248 | 558 | 1 | 11 | 244 | 492 | 9462 | ı | ı | 800 | 1551 | 260 | t | 102 |
| pol 523 | 7 | 77 | 359 | 1 | 260 | 246 | 1749 | 1 | 29 | 328 | 940 | 1373 | 4764 | ı | 1347 |
| pol 618 | တ | 3.0 | 4370 | 1 | 40 | ₹ 84 | 1617 | 1 | 821 | 62 | 872 | 5175 | 1246 | 1 | 3060 |
| 797 lod | ∞ | 22 | 386 | ı | 996 | 1634 | 1520 | 807 | 143 | 44 | 214 | 299 | 3276 | ı | 6553 |
| core 50 | 7 | 810 | 8.0 | 1 | 326 | 1 | 458 | 1 | | 9/9 | 210 | 952 | 124 | 575 | 48 |
| pol 694 | 7 | 7470 | 5009 | <i>L</i> 9 | 490 | 1203 | 1 | 1 | 2022 | 1 | | 1 | 1 | 1808 | 1044 |
| pol 385 | ~ | 7372 | 1368 | 36 | 208 | 251 | ı | 1 | 946 | ı | 1 | 1 | 1 | 2525 | 8711 |
| 96 lod | _ | 8415 | 4153 | 43 | 3916 | 1908 | 9999 | 1 | 4461 | ı | 5354 | ı | 4330 | i | 8121 |
| pol 420 | ₩ | 38 | 3089 | 62 | 168 | 11 | 4923 | 1859 | 36 | 5063 | 1065 | 7126 | ı | 2 | ٦, |
| | | | | | | | | | | | | | | | |

Sheet 64 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be



-40}


Sheet 65 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

65/90

HBV-HTL

MGTSFVYVPSALNPADGPGPGLCQVFADATPTGWGLGPGPGRHYLHTLWKAGILYKGPGPGPHHTALRQAILC WGELMTLAGPGPGESRLVVDFSQFSRGNGPGPGPFLLAQFTSAICSVVGPGPGLVPFVQWFVGLSPTVGPGPG LHLYSHPIILGFRKIGPGPGSSNLSWLSLDVSAAFGPGPGLQSLTNLLSSNLSWLGPGPGAGFFLLTRILTIP QSGPGPGVSFGVWIRTPPAYRPPNAPIGPGPGVGPLTVNEKRRLKLIGPGPGKQCFRKLPVNRPIDWGPGPGA ANWILRGTSFVYVPGPGPGKOAFTFSPTYKAFLCGPGPGAKFVAAWTLKAAA

FIG.24C



Sheet 66 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof




FIG.25B

Sheet 68 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof




FIG.26A




FIG.26B

Sheet 69 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof


| | | - | • | |
|---|------------|----------|---|----------|
| | _ | | _ | |
| Env 332 Pol 530 Pol 388 Env 249 Pol 149 Env 359 Pol 640 | 87 | | 415 |]_ |
| Env 359 | A1 | | Env 335 Env 183 Env 313 Core 117 Core 19 Core 18 Core 419 Pol 392 Pol 531 Pol 415 | A1 |
| 149 | ₽¥ | | 2 Pol | A3 |
| 249 Po | | | Pol 39 | A24 |
| Env ; | A1 | | re 419 | P4 |
| Pol 388 | A3 | | 18 Co | |
| 230 | 87 | | 9 Core | P2 |
| 332 Pol | | ** | Core 1 | 87 |
| | A24 | | e 117 | A24 |
| ol 745 | A24 | | 313 Cor | • |
| 562 F | V 2 | | 3 Env 3 | 87 |
| signal Pol 562 Pol 745 | * | | Env 18. | V |
| sign | | · | v 335 l | 82 |
| | | | <u> </u> | |

| PADRE® Pol. 47 Pol 455 Core 141 | Pol . 47 | 7 Pol | 455 | Core | Pol | 429 | Env | 429 Env 236 Pol | Pol | 166 | 166 Pol 538 Core 101 Pol 354 Core 137 Pol | 338 (| Sore | 101 | Pol | 354 | Core | 137 | Pol 6 | 992 |
|---------------------------------|----------|------------|-----|------------|---------|-----|-----------|-----------------|-----|-----|---|-------|------|-----|-----|-----|------|-----|-------|--------|
| | A3 | | 2 | \\ \S \\ \ | B7 | | A2 | | A | | A2 | 1 | A24 | | B7 | | A A | | £3 | ר ר |
| | | | | | | 正 | <u>G</u> | FIG.27A | A | | | | | | | | | | | |

Sheet 70 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

-44







rir kesbouse (on)

Sheet 71 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

assigned Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof





Sheet 73 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

73/90


i CMV CTL IRES HTL

ii CMV CTL HTL

iii FIG.29A

Sheet 74 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

40




Sheet 75 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned Inventors: SETTE et al. Tel. No.: 202-371-2600 For: Optimized Multi-Epitope Constructs and Uses
Thereof 75/90 5835: 50µg 3697: 50µg 5835: 5µg <u>a</u> 538 <u>8</u> pol 455 183 100

CTL Response (SFC/10 CD8 cells)

41

Sheet 76 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060,0200003/HCC/PAC; Group Unit: To be assigned Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof
76/90

44



Sheet 77 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof
77/90





FIG.32B

assigned Inventors: SETTE et al. Tel. No.: 202-371-2600 For: Optimized Multi-Epitope Constructs and Uses Thereof 78/90 ∞ Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse FIG.33A Peptide **Pol455** 1000007 Single Immunization (IIII)

Sheet 78 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be

Sheet 79 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

· At




Sheet 80 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses Thereof

.44}

80/90

Composition of HBV polyepitope vaccine

| Ý | | | | | | , | , |
|----------|---|--|--|----|---|--------------|---------------------------|
| | | 83 core 141 pol 665 env 335 env 313 pol 354 pol 629 core 19 pol 150 pol 47 pol 388 pol 531 pol 642 | | | | | |
| | | 9 | | | | | |
| _ | | 8 | 777 | ¥ | | | ļ |
| | | | | | | | |
| | | 3 | | | | | |
| _ | | g. | | S | | | |
| _ | | 88 | | | | | |
| | | ≈ | | | | | |
| | | Œ | | | | | |
| ₹ | | | | | | | |
| - | | 4 | | | | | |
| | | <u>a</u> | | Z | | | |
| | | 0 | | | | | |
| | | 55 | | | | | ျှ |
| | | 豆 | | - | | 1 | 흲 |
| ¥ | | | 77 | | | | 욡 |
| - 1 | | 5 | | | | | 8 |
| | | 9 | | | | 1 | يوا |
| z | | 2 | $\angle\!$ | _ | | | 윤 |
| | | 53 | | | | | ق |
| | | = | | | | | 를 |
| | | 8 | | × | | | 2 |
| | | 25 | | | | | HLA-B7 supertype epitopes |
| | | ~ ∽ | | | | | A- |
| ار | | 8 | | - | | | 크 |
| ᅩ | | ~ | | | | | 17 |
| | | ~ | /// | | | | /// |
| | | 2 | | | | | V// |
| _ | | ته | K/4 | _ | ļ | ļ | <i>Y//</i> |
| - | | 33 | | | | | |
| | | 7 | | | | | |
| ا≳ | | E | | * | | | 1 |
| ₩ | | 5 | | | | | |
| - | | 99 | | | | | |
| | | 2 | | _ | | 1 | ျွ |
| | | \vdash | |) | | | ∤ĕૂੱ |
| | | 141 | | | | | |
| | | စ္ | | | | | ertype epitopes |
| | | 8 | | S | | | 8 |
| \neg | | | 12 | | | | 1 <i>ই</i> |
| | | 8 | | | | | B |
| | | ≥ | | | | | HLA-A3 supe |
| | | ਚ | 777 | _ | | | ~ |
| | | 55 | | | | 1 | Y |
| | | 2 | | | | | ١Š |
| | | 18 | (22) | ၁ | | ļ | 工 |
| | | 8 | | | | | |
| | | 5 | | | | | |
| | | 8 | | >- | | | |
| _ | | 52 | 177 | | | | 1 |
| l | | 25 | | | | | |
| ŀ | | B | | 1 | | | |
| 2 | _ | 8 | 1 | = | | | \vdash |
| | | = | | | | | es |
| 1 | | 100 | | | | 1 | ΙĞ |
| | | ٦ | رججا | 4 | | | ŀŧĒ. |
| | | بيرا | 1.3.4 | | | l | ته ا |
| | | Ş | [*: | | | l | 8 |
| | | P | | ~ | | | ΙĘ |
| | | 5 | | | | | 1 8 |
| | | = | e | | | | l IS |
| | | 8 | | _ | | | LA-A2 supertype epitopes |
| | | | <i></i> | | | - | X |
| y 1 | | - | Ullin | | | | 1 . |



Sheet 82 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003 Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned


Inventors: SETTE et al. Tel. No.: 202-371-2600

. 44

For: Optimized Multi-Epitope Constructs and Uses Thereof

82/90

Detection of HBV AOSIb (un-optimized epitope string)
-MG132




Sheet 84 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

84/90

and the state of t

Comparison of fluorescence intensity



Sheet 85 of 90

Appl. No. 10/677,754; Filed: Oct 3, 2003

Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned

Inventors: SETTE et al.

Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

85/90

| Fold Increase (aver.) | 1.1 | 2.1 | 5.3 | |
|--------------------------|---|------------------|-------------------|--|
| with inhibitor | 35% 33% | 12% 8% | 10% | |
| No inhibitor | 30% 34% | 5% 4.4 | 2% 1.2% | |
| plasmid | Fluorescent Protein (no epitopes control) | HBV AOSIb fusion | HBV AOSIb2 fusion | |

Sheet 86 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof





FIG.36

Sheet 87 of 90 Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned
Inventors: SETTE et al.
Tel. No.: 202-371-2600
For: Optimized Multi-Epitope Constructs and Uses
Thereof

.41

87/90

Contracting the service of the servi



41

GCR-3697 Immunogenicity Data

Sheet 88 of 90
Appl. No. 10/677,754; Filed: Oct 3, 2003
Dkt No. 2060.0200003/HCC/PAC; Group Unit: To be assigned /

assigned Inventors: SETTE et al. Tel. No.: 202-371-2600

For: Optimized Multi-Epitope Constructs and Uses Thereof

| HLA—A2 env 335 12/12 199.3 2.1 4/4 288.9 env 183 12/12 171.2 2.8 4/4 153.6 env 335 12/12 12/12 12/14 1.8 4/4 153.6 env 335 12/12 12/12 12/14 1.8 4/4 11.3 pol 538 12/12 2.66.2 2 4/4 148.1 pol 547 6/6 10.1 2.3 12/12 386.7 HLA—A3 pol 655 5/6 10.1 2.3 12/12 386.7 pol 47 0/6 33 12/12 3.2 12/12 386.7 pol 330 0/6 10.1 2.3 12/12 3.3 10.1 2.3 10/11 54.8 pol 332 2/6 16.7 1.1 54.8 10/11 54.8 pol 530 6/6 51.2 1.3 1/11 32.6 pol 545 6/6 51.2 1.3 1/11 32.6 pol 540 640 640 640 640 640 535.1 pol 549 2/11 1.3 1/11 32.6 pol 549 2/12 2.5 5/11 2.4 pol 540 640 640 640 640 640 535.1 pol 354 2/6 13.7 1.1 1/6 1.4 1.4 1.6 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 | | | | | CTL response | use (SU) | | |
|--|---------------------|----------|-------|---------|---------------------|----------|-----------------|--------------------|
| Epitope Freq. GeoMean X/\div Freq. core 18 $12/12$ 199.3 2.1 $4/4$ env 183 $12/12$ 199.3 2.1 $4/4$ env 335 $12/12$ 171.2 2.8 $4/4$ pol 455 $12/12$ 120.4 1.8 $4/4$ pol 538 $12/12$ 160.4 1.8 $4/4$ pol 538 $12/12$ 266.2 2 $4/4$ pol 149 $6/6$ 94.4 1.4 $12/12$ pol 149 $6/6$ 10.3 2.2 $4/4$ pol 149 $6/6$ 10.3 2.2 $4/4$ pol 149 $6/6$ 10.3 2.2 $12/12$ pol 149 $6/6$ 10.3 2.2 $12/12$ pol 655 $5/6$ 10.1 2.3 $12/12$ pol 47 $0/6$ 0.1 0.1 0.1 pol 392 $5/6$ 1.6 0.1 | ₽ | | 2 × | 3 | ation | CT | Pre-treatment | ent |
| core 18 12/12 199.3 2.1 4/4 env 183 12/12 171.2 2.8 4/4 env 335 12/12 171.2 2.8 4/4 pol 455 12/12 120.4 1.8 4/4 pol 538 12/12 149.9 3.2 4/4 pol 562 12/12 266.2 2 4/4 pol 562 12/12 266.2 2 4/4 pol 563 1/6 94.4 1.4 12/12 pol 655 5/6 10.1 2.2 4/4 pol 388 0/6 10.3 2.2 4/4 pol 47 0/6 3.9 2.2 4/4 pol 531 1/6 22.6 10.1 2.3 12/12 pol 392 5/6 16.7 1.1 3/11 2/11 pol 392 5/6 16.7 1.1 3/11 2/12 pol 392 5/6 16.7 1.1 3/11 2/12 pol 392 5/6 16.7 1.3 1/11 2/11 <tr< th=""><th>Supertype</th><th>Epitope</th><th>Freq.</th><th>GeoMean</th><th>÷⁄x</th><th>Freq.</th><th>GeoMean</th><th>* *</th></tr<> | Supertype | Epitope | Freq. | GeoMean | ÷⁄x | Freq. | GeoMean | * * |
| env 183 12/12 171.2 2.8 4/4 env 335 12/12 120.4 1.8 4/4 pol 455 12/12 120.4 1.8 4/4 pol 538 12/12 120.4 1.8 4/4 pol 538 12/12 266.2 2 4/4 pol 54 14 16/6 94.4 1.4 12/12 pol 149 6/6 10.3 2.2 12/12 pol 388 0/6 10.1 2.3 12/12 pol 38 0/6 10.1 2.3 12/12 pol 392 5/6 18.1 1.5 10/11 pol 392 5/6 16.7 1.1 3/11 pol 745 2/6 51.2 1.3 1/11 pol 530 6/6 292.4 3.1 3/6 pol 640 4/6 76.5 1.7 5/7 env 313 0/6 0 0 6/6 pol 354 2/6 13.7 1.1 1/6 | | core 18 | 12/12 | 1 | 2.1 | 4/4 | 288.9 | 1.3 |
| env 335 | | env 183 | 12/12 | 171.2 | 2.8 | 4/4 | 401.2 | 1.4 |
| pol 455 12/12 120.4 118 4/4 pol 538 12/12 12/12 266.2 2 4/4 pol 562 12/12 266.2 2 4/4 pol 562 12/12 266.2 2 4/4 12/12 266.2 2 4/4 12/12 266.2 2 4/4 12/12 266.2 2 4/4 12/12 266.2 2 4/4 12/12 266.2 2 4/4 12/12 266.2 2 4/4 12/12 2/12 2/12 2/12 2/12 2/12 2 | U A A2 | env 335 | 12/12 | 86.4 | 2.3 | 4/4 | 153.6 | 1.7 |
| pol 538 | אואויי | pol 455 | 12/12 | 120.4 | ∞ . | 4/4 | 411.3 | 1.8 |
| core 141 6/6 6/6 103 2.2 12/12 pol 149 6/6 103 2.2 12/12 pol 149 6/6 103 2.2 12/12 pol 388 0/6 pol 388 0/6 pol 388 0/6 pol 381 pol 531 pol 531 pol 392 core 101 pol 745 pol 640 pol 530 pol 640 pol 540 pol 540 pol 540 pol 540 pol 540 pol 550 pol 550 pol 550 pol 550 pol 560 pol 570 pol 560 pol 570 pol 57 | | pol 538 | 12/12 | 149.9 | 3.2 | 4/4 | 148.1 | 2.2 |
| core 141 6/6 94.4 1.4 12/12 pol 149 6/6 10.3 2.2 12/12 pol 388 0/6 10.1 2.3 12/12 pol 388 0/6 3.9 2/12 pol 47 0/6 3.9 2/12 pol 531 1/6 22.6 22.6 pol 531 1/6 22.6 2/11 pol 392 5/6 78.1 1.5 10/11 pol 392 5/6 78.1 1.3 1/11 pol 345 2/6 51.2 1.3 1/11 pol 745 2/6 51.2 1.3 1/11 pol 640 4/6 76.5 1.7 5/7 pol 640 4/6 76.5 1.7 5/7 pol 354 0/6 0 0 6/6 pol 429 2/6 13.7 | | pol 562 | 12/12 | 266.2 | 2 | 4/4 | 353.3 | 1.5 |
| pol 149 6/6 103 2.2 12/12 pol 655 5/6 10.1 2.3 12/12 pol 388 0/6 0/6 3.9 $\frac{1}{3}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ pol 38 0/6 0/12 $\frac{1}{2}$ $\frac{1}{$ | | core 141 | 9/9 | 94.4 | 1.4 | 12/12 | 167.6 | 1.4. |
| pol 655 5/6 10.1 2.3 $12/12$ pol 388 0/6 $0/6$ pol 47 0/6 $3/12$ pol 47 0/6 $3/12$ env 236 $1/6$ $1/6$ $2/2.6$ $1/6$ $1/6$ $1/6$ $1/6$ $1/6$ $1/6$ $1/6$ $1/1$ $1/6$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ $1/1$ pol 745 $1/6$ $1/6$ $1/6$ $1/6$ $1/1$ $1/1$ $1/1$ pol 640 $1/6$ $1/6$ $1/6$ $1/6$ $1/6$ $1/6$ pol 650 $1/6$ $1/6$ $1/6$ $1/6$ pol 354 $1/6$ $1/6$ $1/6$ $1/6$ pol 429 $1/6$ | | pol 149 | 9/9 | 103 | 2.2 | 12/12 | 386.7 | 1.5 |
| pol 388 0/6 | HLA-A3 | pol 655 | 2/6 | 10.1 | 2.3 | 12/12 | 108 | 3.6 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |) | pol 388 | 9/0 | | | 0/12 | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | pol 47 | 9/0 | | | 3/12 | 3.2 | = |
| env 236 1/6 22.6 | | pol 531 | 1/6 | 3.9 | - | 2/12 | 5.5 | |
| pol 392 5/6 78.1 1.5 10/11 core 101 1/6 37 0/11 core 117 3/6 16.7 1.1 3/11 core 117 3/6 34.4 1.9 2/11 pol 745 2/6 51.2 1.3 1/11 pol 530 6/6 292.4 3.1 3/6 pol 640 4/6 76.5 1.7 5/7 core 19 3/6 12 2.5 2/7 env 313 0/6 0 0 6/6 pol 354 0/6 13.7 1.1 1/6 | | env 236 | 1/6 | | | 2/11 | 23.4 | 1.2 |
| core 101 1/6 37 1.1 3/11 core 101 1/6 37 0/11 core 117 3/6 34.4 1.9 2/11 pol 745 2/6 51.2 1.3 1/11 pol 530 6/6 292.4 3.1 3/6 pol 640 4/6 76.5 1.7 5/7 core 19 3/6 12 2.5 2/7 env 313 0/6 0 0 6/6 pol 354 0/6 13.7 1.1 1/6 | | pol 392 | 9/6 | 78.1 | 1.5 | 10/11 | 54.8 | 2.2 |
| core 101 1/6 37 0/11 core 117 3/6 34.4 1.9 2/11 2/11 2/6 51.2 1.3 1/11 1/11 pol 530 $6/6$ $-\frac{2}{202.4}$ $-\frac{3.1}{3.1}$ $\frac{3}{3}$ $\frac{1}{11}$ $\frac{1}{11}$ core 19 3/6 12 2.5 2/7 env 313 0/6 0 0 6/6 pol 354 0/6 13.7 1.1 1/6 | HI A-A74 | env 332 | 5/6 | 16.7 | - : | 3/11 | 25.6 | 1.6 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | core 101 | 1/6 | 37 | | 0/11 | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | core 117 | 3/6 | 34.4 | 1.9 | 2/11 | 27.4 | ~ |
| pol 530 6/6 292.4 3.1 3/6 pol 640 4/6 76.5 1.7 5/7 core 19 3/6 12 2.5 2/7 env 313 0/6 0 0 6/6 pol 354 0/6 13.7 1.1 1/6 | | pol 745 | 2/6 | 51.2 | 1.3 | 1/11 | 32.6 | |
| pol 640 4/6 76.5 1.7 5/7 core 19 3/6 12 2.5 2/7 env 313 0/6 0 0 6/6 pol 354 0/6 13.7 1.1 1/6 | | pol 530 | 9/9 | 292.4 | 3.1 | 3/6 | $-\frac{7}{71}$ | |
| core 19 3/6 12 2.5 2/7 env 313 0/6 0 0 6/6 pol 354 0/6 0 0 4/6 pol 429 2/6 13.7 1.1 1/6 | | pol 640 | 4/6 | 76.5 | 1.7 | 2/1 | 104.6 | . . |
| env 313 0/6 0 0 6/6 pol 354 0/6 0 0 4/6 pol 429 2/6 13.7 1.1 1/6 | HI A-R7 | core 19 | 3/6 | 12 | 2.5 | 2/7 | 8.8 | 1.6 |
| 354 0/6 0 0 4/6 429 2/6 13.7 1.1 1/6 | | env 313 | 9/0 | 0 | 0 | 9/9 | 323.1 | 2.9 |
| 429 2/6 13.7 1.1 1/6 | | pol 354 | 9/0 | 0 | 0 | 4/6 | 351.5 | 3.2 |
| | | pol 429 | 2/6 | 13.7 | = | 1/6 | 1.4 | |

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| □ BLACK BORDERS |
|---|
| ☑ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES |
| ☐ FADED TEXT OR DRAWING |
| ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING |
| ☐ SKEWED/SLANTED IMAGES |
| COLOR OR BLACK AND WHITE PHOTOGRAPHS |
| ☐ GRAY SCALE DOCUMENTS |
| ☐ LINES OR MARKS ON ORIGINAL DOCUMENT |
| ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY |
| □ OTHER: |

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.